

FIXTEC®
Better tool, better life




EMMEPIERRE SRL



EMMEPIERRE SRL

Via Sant' Anna n° 147
Cartoceto (Fano)_PU cap 61030_Italy
Tel +39 0721 877387

www.quadrica.shop
e-mail_info@quadrica.shop
e-mail_info@mpr-srl.com



Con riserva di errori e/o modifiche

IMPORTATO E DISTRIBUITO DA EMMEPIERRE SRL

mp 23/24

FIXTEC®
Better tool, better life



F20+

ONE-STOP TOOLS STATION

FIXTEC®

Better tool, better life

FIXTEC, an unique brand of tools and accessories,
is developed to make professional tools more affordable.

FIXTEC team is based in China to support global marketing and we are
looking for local distributors as our long term partners instead of setting up our own sales
team to save the cost and maximize the benefits of our partners. through continuous innovation and
improvement, we will provide exceptional value to our partners. FIXTEC, better tool, better life. Join us today!

ABOUT US



OUR GOAL

Through continuous innovation and improvement,
we will provide professional tools and accessories to global users,
and try to exceed our customer's expectations on quality, service, efficiency and cost.
FIXTEC is committed to greatly improving the world's opinion of products "Made in China."

Through relentless effort and our persistent pursuit of quality and innovation,
we strive to succeed together with our global partners, clients and our local suppliers.



www.fixtectools.com



CONTENT



Power Tools
Page 01-19



Bench Tools
Page 20-22



Welding Machine &
Cleaning tools
Page 23-25



Water Pumps
Page 27-29



Generators
Page 30-31



Air Tools
Page 25-26/32-35



Power Tool Accessories
Page 36-43



Hand Tools
Page 44-75




Safety Products
Page 76-79

The products showing in this catalogue are latest models, But in order to improve the products to meet market demand. We have no obligation to advise any customers for the minor charges, including technology data of products.

20V LITHIUM-ION ONE BATTERY FOR ALL

Power a range of **FIXTEC** power tools, vacuums, and lawn + garden equipment using the same interchangeable batteries and chargers in the 20V **F20+** Battery System. From DIY projects to indoor cleaning and yard care, keep spare batteries charged and on-hand for the next task so you never have to miss a beat.

F20+




Same battery, new look—20V MAX F20+ batteries work with all the 20V MAX FIXTEC products you already own.

FCD20LFX

F20+

DESCRIPTION

CORDLESS IMPACT DRILL
2000mAh Li-ion battery
Chuck capacity: Φ 13mm
No load speed: 0-500/0-1800rpm
Impact rate: 0-8500/0-30600bpm
Clutch style: 20+1+1
Max torque: 40N.m
LED Working light




FCIW300LFX-2

F20+

DESCRIPTION

CORDLESS IMPACT DRIVER
Chuck : 1/4" HEX
No load speed: 0-1900rpm
Impact rate: 0-3100bpm
Max torque: 150N.m
LED Working light




FCRH13LFX

F20+

DESCRIPTION

CORDLESS ROTARY HAMMER
No load speed: 0-850rpm
Impact rate: 0-5000bpm
Impact energy: 1.3 J
Max. drilling diameter:
steel: 10mm
concrete: 13mm
wood: 16mm



FCIW300LFX

F20+

DESCRIPTION

CORDLESS BRUSHLESS IMPACT WRENCH
Chuck capacity: 1/2" Square
No load speed:
0-950/0-1400/0-1900rpm
Impact rate: 0-2400bpm
Max torque: 300N.m
LED Working light



FCID150LFX

F20+

DESCRIPTION

CORDLESS IMPACT DRIVER
Chuck : 1/4" HEX
No load speed: 0-1900rpm
Impact rate: 0-3100bpm
Max torque: 150N.m
LED Working light



FCRH22LFX

F20+

DESCRIPTION

CORDLESS BRUSHLESS ROTARY HAMMER
No load speed: 0-1400rpm
Impact rate: 0-4500bpm
Impact energy: 2.0 J
Max. drilling diameter:
steel: 13mm
concrete: 22mm
wood: 28mm




FCRH22LFX-4

F20+

DESCRIPTION

CORDLESS BRUSHLESS IMPACT WRENCH
Chuck capacity: 1/2" Square
No load speed:
0-950/0-1400/0-1900rpm
Impact rate: 0-2400bpm
Max torque: 300N.m
LED Working light




FCCS165LFX

F20+

DESCRIPTION

CORDLESS CIRCULAR SAW
No load speed: 4000rpm
Blade Diameter: Φ 165mm 18T
Blade Arbor: 16mm
Max cutting depth at 0-45°




FCCS100LX

F20+

DESCRIPTION

CORDLESS MINI CHAINSAW
Chain speed : 3.7m/s
Chain bar size: 4"



FCJS80LFX

F20+

DESCRIPTION

CORDLESS JIG SAW
No load speed: 0-3000spm
Stroke length: 20mm
Max cutting capacity:
80mm in wood
6mm in steel
12mm in plastic



FCRS100LFX

F20+

DESCRIPTION

CORDLESS RECIPROCATING SAW
No load speed: 0-3000spm
Recipro stroke: 22mm
cutting capacity for wood : 100mm
cutting capacity for metal: 6mm




FCCS100LX-1

F20+

DESCRIPTION

CORDLESS MINI CHAINSAW
Chain speed : 3.7m/s
Chain bar size: 4"
Include 1pcs 2000mAh Battery



FCMT20LFX

F20+

DESCRIPTION

CORDLESS MULTI-TOOL
No-load Speed:10000-17000rpm
Oscillating angle: 3° LED light
3pcs sanding paper
1pc scraper
1pc plunge cutter



FCAG115LFX

F20+

DESCRIPTION

CORDLESS BRUSHLESS
ANGLE GRINDER
No load speed:10000rpm
Disc Dia.:
Φ115mm



FCAG125LFX

F20+

DESCRIPTION

CORDLESS BRUSHLESS
ANGLE GRINDER
No load speed:10000rpm
Disc Dia.: Φ125mm



FCAG100LFX

F20+

DESCRIPTION

CORDLESS BRUSHLESS
ANGLE GRINDER
No load speed:10000rpm
Disc Dia.: Φ100mm



FCAG115LFX-4

F20+

DESCRIPTION

CORDLESS BRUSHLESS
ANGLE GRINDER

No load speed:10000rpm
Disc Dia.:
Φ115mm



FCRS125LX

F20+

DESCRIPTION

CORDLESS ROTARY SANDER
No load speed:12,000rpm
Pad size: 125mm
Include 1 pcs sand paper



FCTB20LX

F20+

DESCRIPTION

CORDLESS TILE VIBRATOR
No load speed:500-12000RPM
Sucker Dia:130mm
Vibration Range:300-1200mm Tiles
Package: BMC+Color box
include 1pcs 2000mAh Battery



FCSG20LFX

F20+

DESCRIPTION

CORDLESS SPRAY GUN
Motor speed: 30000rpm
Container Volume:800mL
Nozzle:1.8mm
Max. Viscosity:60 DIN



FCHPW20LX-2

F20+

DESCRIPTION

CORDLESS HIGH PRESSURE WASHER
Rated flow: 2L/min
Working pressure: 22bar/320psi
Working time: 15min
Discharging Types:0°, 15°, 25°, 40°, Shower, UP




FCGG20LFX

F20+

DESCRIPTION

CORDLESS GLUE GUN
Pre-heating time:90s
Inside heating temp.:170±10 °C
Automatic shut-down after 5 minutes
Include 3pcs
Φ 11.5x150mm Glue stick




FCHPW20LX

F20+

DESCRIPTION

CORDLESS HIGH PRESSURE WASHER
Rated flow: 2L/min
Working pressure: 22bar/320psi
Working time: 15min
Discharging Types:0°, 15°, 25°, 40°, Shower, UP



FCVC06LFX

F20+

DESCRIPTION

CORDLESS VACUUM CLEANER
Max air flow:0.7 m³/min
Dust Canister Capacity:650ml
Weight(bare tool):0.85Kg



FCVC12LX

F20+

DESCRIPTION
CORDLESS WET & DRY
VACUUM CLEANER
Max air flow: 0.7 m³/min
Dust Canister Capacity: 650ml
Weight (bare tool): 0.85Kg



FCAP150LX

F20+

DESCRIPTION
CORDLESS AIR PUMP
Maximum pressure: 150 PSI
Maximum flow speed: 14 L/Min
With 3 different Kinds nozzles



FCBL28LFX

F20+

DESCRIPTION
CORDLESS BLOWER/VACUUM
Rated Air flow: 2.8 m³/min
No load speed:
8,500/11,000/17,000 rpm


www.fixtectools.com

FCIF11LFX

F20+

DESCRIPTION
CORDLESS AIR COMPRESSORS & INFLATORS
12V DC cigar-lighter
Max pressure: 160PSI/11Bar/1100kpa
Hose Length: 790mm
Pump Hose Length: 360mm
Cigar-lighter Cable & Plug: 3M-18AWG



Inflation Accessories
1 x Ball Adaptor
1 x Tire Valve Adaptor
1 x Air Bed Adaptor
1 x High-volume Hose



FCST50LFX

F20+

DESCRIPTION
CORDLESS 2-IN-1 NAILER/STAPLER
Max Firing Speed:
100nails /staples per minute
Max Magazine capacity:
holds up to 100 nails / staples
Max Length of nails: 50mm
18 Gauge Brad Nail
Max Length of staples: 40mm
18 Gauge light duty staple



FCF230LFX

F20+

DESCRIPTION
CORDLESS FAN
No-load speed:
Hi- 1700rpm, Lo-1000rpm
Air volume:
Hi- 450CFM, Lo-280CFM
Fan Dia.: Φ230mm
with 3 x fan blades



FCFL30LFX

F20+

DESCRIPTION
CORDLESS FLASH LIGHT
2200/1500 Lumens
Run time: 2Hr/30W, 3Hr/20W
Tilt adjustment 0-360°



FCGT300LFX

F20+

DESCRIPTION
CORDLESS GRASS TRIMMER
No load speed: 7500rpm
Cutting width: 250/300mm
Cutting line diameter: Φ1.6mm



FCCS355LFX

F20+

DESCRIPTION
BRUSHLESS CHAIN SAW
Voltage: 40V (2x20V)
Chain speed: 16m/s & 12m/s,
Output power: 1000 W
Brushless motor
Motor speed: 8500RPM ±5%
Chain bar size: 14"



FCGB200LFX

F20+

DESCRIPTION
CORDLESS BLOWER
Air volume: 54.7CFM
Air speed: 62m/s



FCHT450LFX

F20+

DESCRIPTION
CORDLESS HEDGE TRIMMER
No Load Speed: 2000/min
Blade length: 450/510mm
Cutting capacity: 18mm



FBP2000LX / FBP4000LX

F20+

DESCRIPTION
2000mAh/4000mAh Li-ion
Battery pack
• Quick Charge
• Low Power Consumption
• Real Capacity
• Steady Output


www.fixtectools.com

FBCH20001

F20+

DESCRIPTION
BATTERY CHARGER
Input: 220-240V-50/60Hz
65W
Output: 20V=2.4A



QTY: 4 PCS
Carton size: 42x37 5x34cm

FAHG51601



DESCRIPTION
GRASS TRIMMER HEAD
Material: Nylon
Wire Diameter: 1.6mm
wire length: 5m
2pcs/sets



Nylon



QTY: 60 PCS
Carton size: 46x26x26 5cm

FTB27/FTB43

F20+

DESCRIPTION
TOOL BAG
MATERIAL:
Polyester Oxford Fabric PVC Coated



Item No.	SIZE(cm)
FTB27	27x23x20
FTB43	43x19x29



FTB27 QTY: 40PCS
Carton size: 28X35X30cm
FTB43 QTY: 20PCS
Carton size: 43X35X30cm

FSD036L02



DESCRIPTION
CORDLESS SCREWDRIVER
3.6V 1300mAh Li-ion battery
Chuck capacity: Φ 6.35mm
No load speed: 180rpm
Max torque: 3.5N.m
LED Working light
With 4pcs Accessories



FSD036L04

DESCRIPTION
CORDLESS PRECISION SCREWDRIVER
3.6V Li-ion 200mA
No load speed: 200 rpm
Chunk size: 1/16" (4.4mm)
Max torque: 0.2 Nm (Full Battery)
Micro-USB charging cable
Include 20PCS Screwdriver bits
Plastic Window case



FCM04001

DESCRIPTION
MINI GRINDER SET
4.0V Li-ion 2000mAh
No-Load speed:
5,000-25,000 rpm
Dia. of chuck: Φ 3.2mm



www.fixtectools.com

FCD036L03



DESCRIPTION
CORDLESS SCREWDRIVER
3.6V 800mAh Li-ion battery
Chuck capacity: Φ 6.35mm
No load speed: 260rpm
Max torque: 2.5N.m
LED Working light



FSD040L01



DESCRIPTION
4V CORDLESS SCREWDRIVER
1300mAh Li-ion battery
Chuck capacity: Φ 6.35mm
No load speed: 230rpm
Max torque: 5N.m
LED Working light



FCGG0401

DESCRIPTION
CORDLESS GLUE GUN
4.0V 1500mAh Li-ion battery
1PC USB cable
Pre-heating time: 25s $\pm$ 5s
Inside heating temp.: 170 $\pm$ 15 $^{\circ}$ C
Automatic shut-down after 5 minutes
Include 6PCS
 Φ 7mm x 150mm Glue stick



FCD1207K60



DESCRIPTION
CORDLESS DRILL KIT
12V 1500mAh Li-ion battery
No-load speed: 0-400/0-1400rpm
Max torque: 20N.m
Clutch: 18+1 setting
Chuck: 10mm
Charging time: 3-5 hours



FCD12L04C



DESCRIPTION
12V CORDLESS DRILL
1500mAh Li-ion battery
Chuck capacity: Φ 10mm
No load speed: 0-350/0-1300rpm
Max torque: 20N.m
Clutch style: 20+1
LED Working light



FCD20L03



DESCRIPTION
20V CORDLESS DRILL
1500mAh Li-ion battery
Chuck capacity: Φ 10mm
No load speed: 0-400/0-1350rpm
Max torque: 30N.m
Clutch style: 20+1
LED Working light



FCD12L04



DESCRIPTION
12V CORDLESS DRILL
1500mAh Li-ion battery
Chuck capacity: Φ 10mm
No load speed: 0-350/0-1300rpm
Clutch style: 20+1
LED Working light



FCD12L06



DESCRIPTION
12V CORDLESS DRILL
1500mAh Li-ion battery
Chuck capacity: Φ 10mm
No load speed: 0-350/0-1400rpm
Max torque: 25N.m
Clutch style: 20+1
LED Working light



FED35002



DESCRIPTION
ELECTRIC DRILL
220-240V-50/60Hz
Power: 350W
Chuck capacity: Φ 10mm
No load speed: 0-400/0-1000rpm
Drilling capacity:
steel: 10mm
wood: 20mm



www.fixtectools.com

FED40006



DESCRIPTION

ELECTRIC DRILL
220-240V-50/60Hz
Power:400W
Chuck capacity: Φ 6mm
No load speed:0-3900rpm
Drilling capacity:
steel:6mm
wood:20mm



QTY:10 PCS
Carton size:54x41x26cm



FED55002




DESCRIPTION

ELECTRIC DRILL
220-240V-50/60Hz
Power:550W
Chuck capacity:10mm
No load speed:0-3000rpm
Drilling capacity:
steel:10mm
wood:20mm



QTY:10 PCS
Carton size:54x41x26cm



FID60003



DESCRIPTION

IMPACT DRILL
220-240V-50/60Hz
Power:600W
Chuck capacity: Φ 13mm
No load speed:0-2600rpm
Impact rate:0-41500bpm
Drilling capacity:
steel:13mm
concrete:13mm
wood:25mm



QTY:10 PCS
Carton size:55x40x28cm



FED40010




DESCRIPTION

ELECTRIC DRILL
220-240V-50/60Hz
Power:400W
Chuck capacity: Φ 10mm
No load speed:0-3900rpm
Drilling capacity:
steel:10mm
wood:20mm



QTY:10 PCS
Carton size:54x41x26cm



FID60002




DESCRIPTION

IMPACT DRILL
220-240V-50/60Hz
Power:600W
Chuck capacity: Φ 13mm
No load speed:0-3000rpm
Impact rate:0-48000bpm
Drilling capacity:
steel:13mm
concrete:13mm
wood:25mm



QTY:5 PCS
Carton size:39.5x33x27cm



FID600K50



110V-60Hz
AVAILABLE



QTY:4 SET
Carton size:42x38.5x34cm



FID80002



DESCRIPTION

IMPACT DRILL
220-240V-50/60Hz
Power:800W
Chuck capacity: Φ 13mm
No load speed:0-3000rpm
Impact rate:0-48000bpm
Drilling capacity:
steel:13mm
concrete:13mm
wood:25mm



QTY:5 PCS
Carton size:39.5x33x27cm



FID10501



DESCRIPTION

IMPACT DRILL
220-240V-50/60Hz
Power:1050W
Chuck capacity: Φ 13mm
No load speed:
0-1100/0-2800rpm
Impact rate:0-17600/0-48000bpm
Drilling capacity:
steel:13mm
concrete:20mm
wood:30mm



QTY:4 PCS
Carton size:39x38x28cm



FRH50001



DESCRIPTION

ROTARY HAMMER
220-240V-50/60Hz
Power:500W
Chuck:SDS-plus
No load speed:0-1000rpm
Impact rate:0-3900bpm
Impact Joules:1.5J
Drilling capacity:
steel:13mm
concrete:20mm
wood:30mm



QTY:4 PCS
Carton size:44.5x38.5x33cm



FID85001



DESCRIPTION

IMPACT DRILL
220-240V-50/60Hz
Power:850W
Chuck capacity: Φ 13mm
No load speed: 0-3000rpm
Impact rate:0-48000bpm



QTY:4 PCS
Carton size:39x38x28cm



FEIW11001



DESCRIPTION

IMPACT WRENCH
220-240V-50/60Hz
Power:1100W
Chuck capacity:1/2"
No load speed:2200rpm
Max.torque:450N.m
Socket:
17/19/21/22mm



QTY:3 PCS
Carton size:44x38x35cm



FRH80001



DESCRIPTION

ROTARY HAMMER
220-240V-50/60Hz
Power:800W
Chuck:SDS-plus
No load speed:0-1100rpm
Impact rate:0-4000bpm
Impact Joules:3J
Drilling capacity:
steel:13mm
concrete:26mm
wood:30mm



QTY:3 PCS
Carton size:43x37x35cm



FRH85001

INDUSTRIAL



FRH281050



FRH16001



FRH90001



FRH321500



FRH18002



FDH110130




FDH150145




FDH18001



FDH130135



FDH170145




FDH190065



FAG7001001




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:700 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG750100R




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:750 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG900100




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG750100




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:750 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG750115




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:750 W
No-Load speed:11000 rpm
Diameter:Φ 115 mm
Thread of grinder spindle:M14



FAG900100V




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:3800-11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG900100R




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 100 mm
Thread of grinder spindle:M10



FAG900115V




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:3800-11000 rpm
Diameter:Φ 115 mm
Thread of grinder spindle:M14



FAG900125V




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:3800-11000 rpm
Diameter:Φ 125 mm
Thread of grinder spindle:M14



FAG900115




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 115 mm
Thread of grinder spindle:M14



FAG900125




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:900 W
No-Load speed:11000 rpm
Diameter:Φ 125 mm
Thread of grinder spindle:M14



FAG11507



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1050 W
No Load speed:12000rpm
Diameter:Φ 115mm
Thread of grinder spindle:M14



FAG11507V



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1050W
No Load speed:4000-12000rpm
Diameter: Φ 115mm
Thread of grinder spindle:M14



FAG12504V




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1200W
No-Load speed:4000-12000rpm
Diameter: Φ 125mm
Thread of grinder spindle:M14



FAG18004



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2000W
No-Load speed:8500rpm
Diameter: Φ 180mm
Thread of grinder spindle:M14



FAG12504




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1200W
No-Load speed:12000rpm
Diameter: Φ 125mm
Thread of grinder spindle:M14



FAG18005




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:1800W
No-Load speed:8000rpm
Diameter: Φ 180mm
Thread of grinder spindle:M14



FAG23004



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2000W
No-Load speed:6500rpm
Diameter: Φ 230mm
Thread of grinder spindle:M14



FAG18002



DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2350W
No-Load speed:8000rpm
Diameter: Φ 180mm
Thread of grinder spindle:M14



FAG23002




DESCRIPTION
ANGLE GRINDER
220-240V-50/60Hz
Power:2350W
No-Load speed:6000rpm
Diameter: Φ 230mm
Thread of grinder spindle:M14



FP01400180



DESCRIPTION
POLISHER
220-240V-50/60Hz
Power:1400W
No-Load speed:
800-3300rpm
Diameter: Φ 180mm
Soft start




FCP24001



DESCRIPTION
CAR POLISHER
220-240V-50/60Hz
Input power:110W
No Load speed:3000rpm
Pad size: $\varnothing$ 240mm



FMX16002




DESCRIPTION
ELECTRIC MIXER
220-240V-50/60Hz
Power:1600W
No-Load speed:250-500/400-800rpm
Diameter: Φ 140mm
Maximum stirring capacity:85L



FDS08001L



FMG13501



FSG40001




FDS08002L



FMG17001



FSG75001



FMT30001



FPS24002



FPL550821



FFS22001



FRS12501



FPL60001



FPL90001

DESCRIPTION

ELECTRIC PLANER
220-240V~50/60Hz
Power:900W
Planing speed:14500rpm
Planing depth:0-3mm
Planing width,max:82mm
Aluminum base



QTY:4 PCS
Carton size:37x34x41.5cm




FBS12001

DESCRIPTION

BELT SANDER
220-240V~50/60Hz
Power:1200W
Sanding speed:
500m/min
Sanding size:
100x610mm



QTY:2 PCS
Carton size:38.5x37.5x25cm




FRT18002

DESCRIPTION

ROUTER
220-240V~50/60Hz
Power:1800W
No load speed:23000rpm
Diameter of collet:12/8/6mm
Plunge:0-50mm
With constant power
Soft start



QTY:2 PCS
Carton size:43.5x30x24.5cm




FBS90001

DESCRIPTION

BELT SANDER
220-240V~50/60Hz
Power:900W
Sanding speed:
120-380m/min
Sanding size:
76x533mm



QTY:3 PCS
Carton size:51.5x41x20.5cm




FLT55002

DESCRIPTION

LAMINATE TRIMMER
220-240V~50/60Hz
Power:550W
No-Load speed:28000rpm
Milling cutter diameter:Φ6mm & 1/4"



QTY:10 PCS
Carton size:56x41x24cm



FRT2000121

DESCRIPTION

ROUTER
220-240V~50/60Hz
Power:2000W
No load speed:12,000-22,000rpm
Diameter of collet:12 mm
Plunge:0-50mm
With Soft start



QTY:2 PCS
Carton size:43.5x30.5x27cm




FRS10501

DESCRIPTION

RECIPROCATING SAW
220-240V~50/60Hz
Power:1050W
Stroke length:28mm
No load speed:0-2500SPM
Bevel cut:0-45°
Cutting capacity:150mm



QTY:5 PCS
Carton size:55x38x24cm




FCS1851201

DESCRIPTION

CIRCULAR SAW
220-240V~50/60Hz
Power:1300W
Blade size:185mm
No Load speed:4700rpm
Bevel cut:0-45°
Cutting capacity:
90°:65mm
45°:45mm



QTY:4 PCS
Carton size:50.5x34.5x40cm



FCS18502

DESCRIPTION

CIRCULAR SAW
220-240V~50/60Hz
Power:1400W
No Load speed:4700rpm
Bevel cut:0-45°
Cutting capacity:
90°:65mm
45°:45mm



QTY:2 PCS
Carton size:61.5x39x29cm



FCS16501

DESCRIPTION

TRACK CIRCULAR SAW
120V~60Hz
Power:1200W
Blade size:165mm
No Load speed:5200rpm
Bevel cut:0-45°
Cutting capacity:
Depth of cut 90°with track: 52mm
Depth of cut 90°without track: 57mm
Depth of cut 45°with track: 37mm
Depth of cut 45°without track: 46mm



QTY:4 PCS
Carton size:50.5x34.5x40cm



FCS18501

DESCRIPTION

CIRCULAR SAW
220-240V~50/60Hz
Power:1300W
No Load speed:4700rpm
Bevel cut:0-45°
Cutting capacity:
90°:65mm
45°:45mm



QTY:4 PCS
Carton size:52.5x35.5x40cm



FCS23501

DESCRIPTION

CIRCULAR SAW
220-240V~50/60Hz
Power:2200W
No Load speed:3800rpm
Bevel cut:0-45°
Cutting capacity:
90°:79mm
45°:55mm




QTY:2 PCS
Carton size:67.5x41x22.5cm



FJS60001

DESCRIPTION

JIG SAW
220-240V-50/60Hz
Power:600W
Stroke length:18mm
No load speed:800-3000SPM
Bevel cut:0-45°
Obital setting:4 sections
Cutting capacity:
wood:65mm
metal:8mm



FMC12401

DESCRIPTION


MARBLE CUTTER
220-240V-50/60Hz
Power:1240W
No load speed:13000rpm
Blade size:Φ 110mm
Cutting capacity:34mm



FHG15002

DESCRIPTION


HEAT GUN
120V-60Hz
Power:1500W
Temperature & air flow
I:50°C-400°C 300L/min
II:90°C-550°C 500L/min



FJS85001

DESCRIPTION

JIG SAW
220-240V-50/60Hz
Power:850W
Stroke length:20mm
No load speed:800-3000SPM
Bevel cut:0-45°
Obital setting:4 sections
Cutting capacity:
wood:100mm
metal:10mm



FMC14501

DESCRIPTION


MARBLE CUTTER
220-240V-50/60Hz
Power:1450W
No load speed:13000rpm
Bevel cut:0-45°
Blade size:Φ 110mm
Cutting capacity:32.5mm



FHG16001

DESCRIPTION


HEAT GUN
120V-60Hz
Power:1600W
Temperature & air flow
I:300°C 300L/min
II:550°C 500L/min



FHG16002

DESCRIPTION


HEAT GUN
120V-60Hz
Power:1600W
Temperature & air flow
I:60-300°C 300L/min
II:60-550°C 500L/min



FHG20005

DESCRIPTION

HEAT GUN
220-240V-50/60Hz
Power:2000W
Temperature & air flow
I:60-350°C 300L/min
II:60-600°C 550L/min



FBL65001

DESCRIPTION

PORTABLE BLOWER
220-240V-50/60Hz
Power:650W
No-load speed:6000-16000rpm
Air volume:4.0m³/min



FHG20004

DESCRIPTION

HEAT GUN
220-240V-50/60Hz
Power:2000W
Temperature & air flow
I:350°C 300L/min
II:600°C 500L/min



FBL45001

DESCRIPTION

PORTABLE BLOWER
220-240V-50/60Hz
Power:450W
No-load speed:14000rpm
Air volume:2.7m³/min



FSG08001

DESCRIPTION

ELECTRIC SPRAYER
220-240V-50/60Hz
Power:80W
Water flow rate:250ml/min
Max. spraying pressure:140Bar
Max. viscosity:35DIN-s
Nozzle:0.8mm
Container Capacity:700ml



FSPG40001

DESCRIPTION

ELECTRIC SPRAYER
220-240V-50/60Hz
Power:400W
Water flow rate:700ml/min
Max. spraying pressure:140Bar
Max. viscosity:35DIN-s
Nozzle:2.5mm
Container Capacity:800ml



FET21415

DESCRIPTION

ELECTRIC TACKER
220-240V-50/60Hz
Rated current:5A
Rated firing speed:20pcs/min
Staple:TYPE 53,L=8-16mm
Nail size:TYPE F,L=15-16mm



FHESI030

DESCRIPTION

Electric soldering iron
220-240V-50/60Hz
Power:30W
Provided with special dual-construction
Dual insulation construction
Long life welding head



www.fixtectools.com

FSG8002

DESCRIPTION

ELECTRIC SPRAYER
220-240V-50/60Hz
Power:800W
Water flow rate:1100ml/min
Air Pressure:0.1-0.3Bar
Max. viscosity:70DIN-s
Nozzle:Φ 2.5mm
Container Capacity:1200ml



FET22532

DESCRIPTION

ELECTRIC TACKER
220-240V-50/60Hz
Rated current:9A
Rated firing speed:20pcs/min
Staple:TYPE 600,L=15-25mm
Nail size:TYPE F,L=15-32mm



FGG08001

DESCRIPTION

GLUE GUN
220-240V-50/60Hz
Power:80W
Preheat time :5-7min
Flow of glue :14-16g/min
Glue stick D.M 11.2mm
With 2PCS Glue stick



FHVD10001

DESCRIPTION

AC VOLTAGE DETECTOR
Working temperature : 0~40 °C
Storage temperature : -10~50 °C
Storage humidity : ≤95%
Altitude : ≤2000 Meter
Safety level :
CAT.III 1000V; CAT.IV 600V;CE
Power supply :
2 x 1.5V AAA Batteries



FHDM002

DESCRIPTION

DIGITAL CLAMP MULTIMETER
DC Voltage : 1mV~1000V ±(0.5%+3)
AC Voltage : 1mV~750V ±(1.2%+10)
AC Current : 0.01A~600A ±(3.0%+10)
Resistance : 1Ω~40MΩ ±(1.2%+8)
Capacitance : 1nF~30000μF ±(5.0%+10)
Frequency : 10Hz~10MHz ±(0.1%+3)
Temperature test : -20~1000°C ±(1°C)
Continuity : 50Hz~5000Hz



FMS21003

DESCRIPTION

MITRE SAW
220-240V-50/60Hz
Power:1500W
Blade size: Φ210mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0° : 120x55mm 45°/0° : 83x55mm
0°/45° : 120x30mm 45°/45° : 83x30mm
Aluminum base



FHVD0001

DESCRIPTION


DIGITAL MULTIMETER
DC Voltage : 0.1mV~600V ±(0.8%+5)
AC Voltage : 1mV~600V ±(1.0%+3)
DC Current : 1uA~10A ±(1.0%+2)
AC Current : 0.01uA~10A ±(1.0%+5)
Resistance : 0.1Ω~60MΩ ±(0.8%+2)
Capacitance : 1nF~60000μF ±(3.0%+5)
Frequency : 10~10MHz ±(0.1%+5)
Diodes : 3.2V



FMS21002

DESCRIPTION

MITRE SAW
220-240V-50/60Hz
Power:1500W
Blade size: Φ210mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0° : 120x55mm 45°/0° : 83x55mm
0°/45° : 120x30mm 45°/45° : 83x30mm
Aluminum base



FMS25501

DESCRIPTION

MITRE SAW
220-240V-50/60Hz
Power:1600W
Blade size: Φ255mm
No load speed:5000rpm
Mitre table angles: -45° - +45°
Bevel angles:0-45°
Cutting capacity:
0°/0° : 140x65mm 45°/0° : 90x65mm
0°/45° : 140x38mm 45°/45° : 90x38mm
Aluminum base



www.fixtectools.com

FMS25502

DESCRIPTION

MITRE SAW
220-240V-50/60Hz
Power:1800W
Blade size: $\Phi 255$ mm
No load speed:5000rpm
Mitre table angles: -45° - $+45^{\circ}$
Double Bevel angles:
45°(left) to 45°(right)
Cutting capacity:
0°/0° : 305x90mm 45°/0° : 215x90mm
0°/45° : 305x38mm 45°/45° : 215x38mm
Aluminum base



FTS18001

DESCRIPTION

TABLE SAW
220-240V-50/60Hz
Power:1800W
Blade size: $\Phi 250 \times \Phi 30$ mmx24T
No load speed:5000rpm
Mitre table angles: 0° - 45°
Cutting capacity:
45° : 65mm
90° : 85mm
Table size:642x487mm



FTP20001

DESCRIPTION

THICKNESS PLANER
220-240V-50Hz
Power:2000W
Knife shaft speed: 8000 min⁻¹
Feed Speed:6m/min
Max.planing width: 13"/330mm
Planing depth:0-3mm
Planing height:6-160mm



www.fixtectools.com

FMS25503

DESCRIPTION

MITRE SAW
220-240V-50/60Hz
Power:2000W
Blade size: $\Phi 255$ mm
No load speed:5000rpm
Mitre table angles: -45° - $+45^{\circ}$
Bevel angles:0-45°
Cutting capacity:
0°/0° : 140x35mm 45°/0° : 35x140mm
0°/45° : 100x35mm 45°/45° : 35x100mm
Aluminum base



FPT162001

DESCRIPTION

JOINTER&PLANER
220-240V-50Hz
Power:1600W
Knife shaft speed: 8000 r/min
Feed Speed:6m/min
Max.planing width: 8"/204mm
Planing depth:0-3mm
Planing height:6-120mm



FBG12501

DESCRIPTION

BENCH GRINDER
220-240V-50/60Hz
Power:150W
No-load speed:
2950rpm at 50Hz
3450rpm at 60Hz
Wheel Size:
 $\Phi 125$ mm(5")x16x $\Phi 12.7$ mm



FBG15001

DESCRIPTION

BENCH GRINDER
220-240V-50/60Hz
Power:150W
No-load speed:
2950rpm at 50Hz
3450rpm at 60Hz
Wheel Size:
 $\Phi 150$ mm(6")x16x $\Phi 12.7$ mm



FC035501

DESCRIPTION

CUT OFF SAW
220-240V-50/60Hz
Power:2000W
No load speed:3800rpm
Cutting disc size: $\Phi 355$ mm(14")
Max cutting capacity:
Round pipe: $\Phi 115$ mm
Square: 115x115mm
Rectangle: 150x102mm



FC035506

DESCRIPTION

CUT OFF SAW
220-240V-50/60Hz
Power:2400W
No load speed:4100rpm
Cutting disc size: $\Phi 355$ mm(14")
Max cutting capacity:
Round pipe: $\Phi 115$ mm
Square: 119x119mm
Rectangle: 110x120mm



FBG20001

DESCRIPTION

BENCH GRINDER
220-240V-50/60Hz
Power:350W
No-load speed:
2950rpm at 50Hz
3450rpm at 60Hz
Wheel Size:
 $\Phi 200$ mm(8")x20x $\Phi 16$ mm



FC035507

DESCRIPTION

CUT OFF SAW
220-240V-50/60Hz
Power:2000W
No load speed:3800rpm
Cutting disc size: $\Phi 355$ mm(14")
Max cutting capacity:
Round pipe: $\Phi 105$ mm
Square: 110x110mm
Rectangle: 110x120mm



FC02635501

DESCRIPTION

CUT OFF SAW
220-240V-50/60Hz
Power:2600W
No load speed:3900rpm
Cutting disc size: $\Phi 355$ mm(14")
Max cutting capacity:
Round pipe: $\Phi 115$ mm
Square: 119x119mm
Rectangle: 137x100mm



www.fixtectools.com

FDP35002

DESCRIPTION

DRILL PRESS
220-240V-50/60Hz
Power:350W
Chuck capacity: Φ 1.5-13mm
Spindle travel:50mm
Column diameter: Φ 46mm
Spindle speed:5speed:620-2620rpm
Distance spindle/Column:105mm
Distance spindle/Table:220mm
Distance spindle/Base:300mm
Table size:160x160mm
Base size:300x195mm



QTY:1 PCS
Carton size:46x34x25.5cm



FDP55016

DESCRIPTION

DRILL PRESS
220-240V-50/60Hz
Power:550W
Chuck capacity: Φ 16mm
Spindle travel:80mm
Column diameter: Φ 72mm
Spindle speed:16speed:
50Hz:180-2770rpm
60Hz:220-3320rpm
Distance spindle/Column:105mm
Distance spindle/Table:450mm
Distance spindle/Base:630mm
Table size:290x290mm
Base size:420x250mm



QTY:10 PCS
Carton size:56x41x26cm



FDP75001

DESCRIPTION

DRILL PRESS
220-240V-50/60Hz
Power:750W
Chuck capacity: Φ 20mm
Spindle travel:80mm
Column diameter: Φ 72mm
Spindle speed:50Hz:180-2770RPM
60Hz:220-3320RPM
Distance spindle/Column:162.5mm
Distance spindle/Table:725mm
Distance spindle/Base:1205mm
Table size:250X250mm
Base size:460X270mm



QTY:1 PCS
Carton size:111x45x27.5cm



FBS3502001

DESCRIPTION

BAND SAW
220-240V-50Hz
Power:350W
No Load speed:1400rpm
Max cutting height: 80mm
Max cutting width: 200mm



QTY:1 PCS
Carton size:56x41x26cm



FWM105160

DESCRIPTION

INVERTER WELDING MACHINE
110V/220V-50/60Hz
Rated Input Power:5.8Kw
Out put Current:20-105A (110V)
Out put Current:20-160A (220V)
No-load Voltage:62V
Duty Cycle 40°C:100%
Power Factor (cos ϕ):0.73
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:3.7kgs



QTY:4PCS
Carton size:47x37x29.5cm



FWM120200

DESCRIPTION

INVERTER WELDING MACHINE
110V/220V-50/60Hz
Rated Input Power:6.8Kw
Out put Current:20-120A (110V)
Out put Current:20-200A (220V)
No-load Voltage:62V
Duty Cycle 40°C:100%
Power Factor (cos ϕ):0.73
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:4.4kgs



QTY:2PCS
Carton size:43x37.5x32cm



FIWM20-140LCD

DESCRIPTION

INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:6.2Kw
Input Current:28A
No-load Voltage:65V
Output Current:20-140A
Duty Cycle 40°C:30%
Power Factor (cos ϕ):0.93
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:2.68kgs



QTY:1PCS
Carton size:54x45x38.5cm



FIWM20-180LCD

DESCRIPTION

INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:8.2Kw
Input Current:37A
No-load Voltage:65V
Output Current:20-180A
Duty Cycle 20°C:40%
Power Factor (cos ϕ):0.7
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:2.7kgs



QTY:1PCS
Carton size:54x45x38.5cm



FIWM13-300

DESCRIPTION

INVERTER MMA WELDING MACHINE
220V/380V-50/60Hz
Rated Input Power:11/12Kw
Input Current:50/17.5A
No-load Voltage:74/65V
Output Current:20-250/20-300A
Duty Cycle 40°C:100%
Power Factor (cos ϕ):0.9
Protection Class:IP21S
Insulation Class:H
Efficiency:85%
Net weight:18.5kgs



QTY:1PCS
Carton size:40x36x45.7cm



FIWM20-160LCD

DESCRIPTION

INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:7Kw
Input Current:32A
No-load Voltage:65V
Output Current:20-160A
Duty Cycle 20°C:40%
Power Factor (cos ϕ):0.7
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:2.7kgs



QTY:1PCS
Carton size:54x45x38.5cm



FIWM30-200LCD

DESCRIPTION

INVERTER MMA WELDING MACHINE
220-240V-50/60Hz
Rated Input Power:9.3Kw
Input Current:42A
No-load Voltage:65V
Output Current:30-200A
Duty Cycle 20°C:40%
Power Factor (cos ϕ):0.7
Protection Class:IP21S
Insulation Class:F
Efficiency:85%
Net weight:3.26kgs



QTY:1PCS
Carton size:54x45x38.5cm



FDM2201

DESCRIPTION

Concrete Mixer
230V-50Hz
power:850W
Drum Capacity : 220L
Drum Opening : 400mm
Drum Diameter : 655mm
Weight:83kg



QTY:1 PCS
Carton size:79x77x55cm

FEV80001



DESCRIPTION
Concrete Vibrator
220-240V-50/60Hz
Power: 800 W
No-load speed: 4200 rpm
Max: Ø35 mm
Net weight: 1.8 kgs



FVS35150

DESCRIPTION
Concrete vibrator shaft
size: Ø35mm x 1.5 m



FCAC12150



DESCRIPTION
DC12V Auto Air Compressor
Power source: 12 v cigar-lighter
Max pressure: 150 PSI/10.3BAR
No-load current (A): 11.6A
Max Current: 12A
Air Flow: 17L/min
Inflator hose length: 800mm



FEV12001




DESCRIPTION
Concrete Vibrator
220-240V-50/60Hz
Power: 1200 W
No-load speed: 4600 rpm
Max: Ø50 mm
Net weight: 2.1 kgs



FCAC12250




DESCRIPTION
DC12 V Car Air Compressor
Air Pressure (Max): 250 PSI
Accessories:
2 nozzle adapters and 1 sports needle
3m cord with 10A fuse



FHPW1002



DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz
Power: 1200W
Max. pressure: 100 Bar
Working pressure: 65Bar
Max. rated flow: 4.6L/min



Battery Charger



- Single phase battery charger and starter
- Charging lead-acid battery with 12 or 24 voltage
- Equipped with selector for normal charge, quick charge(BOOST), quick start
- Application:
Ideal for motorcycles, various cars, vans, light trucks, heavy trucks and so on.

TECHNICAL SPECIFICATIONS

MODEL NO.	FCB150	FCB160	FCD220
Input voltage (V)	100-120V/220-240V	100-120V/220-240V	100-120V/220-240V
Input frequency (Hz)	50/60Hz	50/60Hz	50/60Hz
Charging voltage (V)	6V/12V	12V/24V	12V/24V
Rated current (A)	6	9/7	23/21
Rated capacity (W)	115	216/249	400/700
Insulation class	H	H	H
Weight	3.2	6.5	14



FHPW1001

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1400W
Pressure: 70bar
Max. pressure: 100bar
Flow: 5 L/min
Max. flow: 5.5L/min
IPX5



FHPW1401

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1800W
Pressure: 100bar
Max. pressure: 140bar
Flow: 5.5 L/min
Max. flow: 6.7L/min
IPX5



FHPW1201

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 1500W
Pressure: 80bar
Max. pressure: 120bar
Flow: 5.5 L/min
Max. flow: 6L/min
IPX5



FHPW1601

DESCRIPTION
HIGH PRESSURE WASHER
220-240V-50/60Hz 2200W
Pressure: 120bar
Max. pressure: 160bar
Max. Flow: 6.7 L/min(220V-240V)
Max. flow: 8L/min(110V)
IPX5




FVC301

DESCRIPTION
VACUUM CLEANER WET/DRY
220-240V-50/60Hz
1200W 30L
Max.suction:16-19Kpa
Max.air flow:1.8m³/min
Portection class:IPX0/IP24



110V-60Hz
AVAILABLE



QTY:1PCS
Carton size:44.5x41x1.5cm

FVC751

DESCRIPTION
VACUUM CLEANER WET/DRY
220-240V-50/60Hz
2 x 1200W 75L
Max.suction:16-19Kpa
Max.air flow:1.7m³/min
Portection class:IPX0/IP24



QTY:1PCS
Carton size:69x57x93cm

FAC5002S


DESCRIPTION
Oil-Free AIR COMPRESSOR
2800W, 2.0HP
50 L (Φ280x510mm)
Noise: ≤ 70 dB
Air Displacement(L/MIN): 200
Max. Pressure(Bar/PSI): 8/115
N.W/G.W(KG): 41/43 KGS



QTY:1 PCS
Carton size:70.5x32x41cm

FVC601

DESCRIPTION
VACUUM CLEANER WET/DRY
220-240V-50/60Hz
2 x 1200W 60L
Max.suction:16-19Kpa
Max.air flow:1.7m³/min
Portection class:IPX0/IP24



QTY:1PCS
Carton size:49x57.5x82cm

FAC2402S

DESCRIPTION
Oil-Free AIR COMPRESSOR
1400W, 2.0HP
24 L (Φ236x390mm)
Noise: ≤ 70 dB
Air Displacement(L/MIN): 100
Max. Pressure(Bar/PSI): 7/100
N.W/G.W(KG): 18/20 KGS



QTY:1 PCS
Carton size:40x26x58cm

FAC20241

DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:1.5kW(2.0HP)
No load speed:2850rpm
Tank volume:24L(6.36Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:44.5x24x60cm

FAC25501

DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:1.8kW(2.5HP)
No load speed:2850rpm
Tank volume:50L(13.26Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:82x32x47cm

FAC31501

DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:2.2kW(3.0HP)
No load speed:1050rpm
Tank volume:150L(39.6Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:128x48x85cm

FAC33001


DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:2.2kW(3.0HP)
No load speed:1050rpm
Tank volume:300L(79.2Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:158x58x115cm

FAC31001

DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:2.2kW(3.0HP)
No load speed:1050rpm
Tank volume:100L(26.4Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:108x43x83cm

FAC32001

DESCRIPTION
AIR COMPRESSOR
220-240V-50/60Hz
Rated Power:2.2kW(3.0HP)
No load speed:1050rpm
Tank volume:200L(52.8Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:133x52x98cm

FAC35007S

DESCRIPTION
AIR COMPRESSOR
380V-50Hz
Rated Power:5.5kW(7.5HP)
No load speed:920rpm
Tank volume:500L(132Gal)
Work pressure:8bar(115psi)



QTY:1 PCS
Carton size:192x65x130cm

FPP37001

DESCRIPTION
PERIPHERAL PUMP
220-240V-50/60Hz
Rated Power:0.5HP(370W)
Pump lift:35M
Suction height:8M
Max.capacity:35L/min
Inlet & outlet inside Dia:
Φ25mm(1")



FPP75001

DESCRIPTION
PERIPHERAL PUMP
220-240V-50/60Hz
Rated Power:1.0HP(750W)
Pump lift:65M
Suction height:8M
Max.capacity:50 L/min
Inlet & outlet inside Dia:
Φ25mm(1")



FCP37001

DESCRIPTION
CENTRIFUGAL PUMP
220-240V-50/60Hz
Rated Power:0.5HP(370W)
Pump lift:20M
Suction height:8M
Max.capacity:60L/min
Inlet & outlet inside Dia:
Φ25mm(1")



FCP75001

DESCRIPTION
CENTRIFUGAL PUMP
220-240V-50/60Hz
Rated Power:1.0HP(750W)
Pump lift:32M
Suction height:8M
Max.capacity:110 L/min
Inlet & outlet inside Dia:
Φ25mm(1")



FSLP1001

DESCRIPTION
SELF-PRIMING
ELECTRIC PUMP
220-240V-50Hz
Rated Power:1.0HP(750W)
Pump lift:45M
Suction height:9M
Max.capacity:60 L/min
Inlet & outlet inside Dia:
Φ25mm(1")



FSP37001

DESCRIPTION
SUBMERSIBLE PUMP
220-240V-50Hz
Rated Power:0.5HP(370W)
Pump lift:17.5M
Max.capacity:80L/min
Inlet & outlet inside Dia: Φ25mm(1")



FSP75001

DESCRIPTION
SUBMERSIBLE PUMP
220-240V-50Hz
Rated Power:1HP(750W)
Pump lift:32M
Max.capacity:130L/min
Inlet & outlet inside Dia: Φ25mm(1")



FPDP370P

DESCRIPTION
SEWAGE SUBMERSIBLE PUMP
220-240V-50Hz
Rated Power:0.5HP(370W)
Pump lift:6.5M
Max.capacity:108 L/min
Inlet & outlet inside Dia:
Φ32mm(1-1/4")



FAPC01

DESCRIPTION
Automatic pump control
220-240V-50Hz
Max:10A
Max:1.1kw
Max:10bar
Max:55°C



FSPP37011

DESCRIPTION
SELF-PRIMING
PERIPHERAL PUMP
220-240V-50Hz
Rated Power:0.5HP(370W)
Pump lift:32M
Suction height:9M
Max.capacity:40 L/min
Inlet & outlet inside Dia:
Φ25mm(1")




FPDP750P

DESCRIPTION
SEWAGE SUBMERSIBLE PUMP
220-240V-50Hz
Rated Power:1HP(750W)
Pump lift:7M
Max.capacity:133 L/min
Inlet & outlet inside Dia:
Φ32mm(1-1/4")





FAPC02

DESCRIPTION
Automatic pump control
220-240V-50Hz
Max:10A
Max:1.1kw
Max:10bar
Max:55°C




3" DEEP WELL PUMP



FDPW2503	1/3HP/250W	1 PHASE 220V-50Hz	42m	45 L/min	1"	IP68
FDPW3703	0.5HP/370W	1 PHASE 220V-50Hz	42m	45 L/min	1"	IP68
FDPW5503	0.75HP/550W	1 PHASE 220V-50Hz	50m	45 L/min	1"	IP68

FDPW7503	1HP/750W	1 PHASE 220V-50Hz	110m	45 L/min	1"	IP68
FDPW11003	1.5HP/1100W	1 PHASE 220V-50Hz	145m	45 L/min	1"	IP68

4" DEEP WELL PUMP



FDPW3704	0.5HP/370W	1 PHASE 220V-50Hz	48m	80 L/min	1.25"	IP68
FDPW5504	0.75HP/550W	1 PHASE 220V-50Hz	48m	100 L/min	1.25"	IP68
FDPW7504	1HP/750W	1 PHASE 220V-50Hz	73m	100 L/min	1.25"	IP68
FDPW11004	1.5HP/1100W	1 PHASE 220V-50Hz	100m	100 L/min	1.25"	IP68

FDPW15004	2HP/1500W	1 PHASE 220V-50Hz	131m	100 L/min	1.25"	IP68
FDPW7504A	1HP/750W	1 PHASE 220V-50Hz	44m	180 L/min	2"	IP68
FDPW11004A	1.5HP/1100W	1 PHASE 220V-50Hz	97m	180 L/min	2"	IP68
FDPW15004A	2HP/1500W	1 PHASE 220V-50Hz	76m	180 L/min	2"	IP68

FCHS4003

DESCRIPTION

ELECTRIC CHAIN SAW
220-240V-50/60Hz
Rated Power:2400W
Bar Length:16"(400mm)
Chain Speed:15m/s
Brake Time: < 0.12s
Max Cutting Length:350mm
Engine oil tank:150ml
Quick replace blade function(SDS)
Hand guard+soft grip+low kickback



FGCS62241

DESCRIPTION

GASOLINE CHAIN SAW
Engine:1-Cylinder,
2-Stroke,Air-cooling
Displacement:62cc
Rated output power:2.7Kw
Relevant speed:Max.11,000
Oil/Fuel mixture ratio:1:25
Fuel tank capacity:550ml
Oil tank capacity:260ml
Bar size:24"(600mm)
Chain pitch:3/8"
Gauge:0.050"



FGGT5201

DESCRIPTION

Petrol Brush Cutter
Engine:Air-cooled
2-stroke,single cylinder
Shaft Diameter:26mm
Length:160cm
Displacement:52cc
Rated output power:1.45kw
Fuel tank capacity:1250ml
Idling speed:3200r/min



FGCS58181

DESCRIPTION

GASOLINE CHAIN SAW
Engine:1-Cylinder,
2-Stroke,Air-cooling
Displacement:58cc
Rated output power:2.4Kw
Relevant speed:Max.11,000
Oil/Fuel mixture ratio:1:25
Fuel tank capacity:550ml
Oil tank capacity:260ml
Bar size:24"(600mm)
Chain pitch:0.325"
Gauge:0.058"



FBGL2601

3 in 1 Function

DESCRIPTION

Petrol Leaf Blower
Air-cooled,2 Stroke
Single cylinder
Displacement: 25.4cc
Power:0.75 kW
Rated Speed:7000 rpm
Air Speed:255 km/h
Air Volume: 650 m³/h
Vacuum bag :40 L



FGG09501

DESCRIPTION

GASOLINE GENERATOR
220-240V-50/60Hz
Rated Power:650W
Max Power:1.0KVA/800W
DC:12V/8.3A
Fuel tank capacity:4.2L
Displacement:63.6cc
Recoil start



FABNF50

DESCRIPTION

Air Brad Nailers
Adjustable exhaust
Soft grip handle reduce fatigue
Quick-release nosepiece for fast clearing of jams
Adjustable depth-of-drive



QTY: 10 PCS
Carton size: 56x32x26cm



FABNF30

DESCRIPTION

Air Staper Nailer
Soft grip handle reduce fatigue
Easy-open latch-For quick and comfortable loading



QTY: 10 PCS
Carton size: 52.5x32x21.5cm



FAIW12340 KIT

KIT CONTAINS :

1pc 1/2" Air impact wrench
10pcs-Air sockets:
9mm-18mm-22mm-24mm-27mm
1pc 1/2" x 5" Extension bar
1pc Hex key wrench
1pc Nipple
1pc Mini oiler
1pc Oil pot
1pc Blow mold case



QTY: 4 PCS
Carton size: 40x27x28.5cm




FABN08016

DESCRIPTION

Air Staper Nailer
Soft grip handle reduce fatigue
Easy-open latch-For quick and comfortable loading



QTY: 10 PCS
Carton size: 53x30x19.5cm



FAIW12340

DESCRIPTION

1/2" Air Impact Wrench
Free speed: 7000RPM
Max Torque: 340 NM
Die cast aluminum body, Reversible
Adjustable torque.
Built-in air regulator varies speed&power



QTY: 10 PCS
Carton size: 38x21.5x43cm



FHDIAIW12680

DESCRIPTION

1/2" Heavy Duty
Air Impact Wrench
Free speed: 7000RPM
Max Torque: 680 NM
Durable twin hammer impac
Adjustable power regulator
Easy-to-service two-piece cc
Super power and performan
tackle the toughest jobs with



Heavy Duty



QTY: 10 PCS
Carton size: 38x24x23cm



FAROS1150

DESCRIPTION

6" Random Orbit Sander
Free speed: 9000RPM
Built-in regulator for speed control,
Low vibration, lightweight and ergonomic design,
3/32" orbit pattern,
Fitted with six inch 6 hole velcro pad,
Ideal for producing fine finishes on wood, metal,
fiberglass and other compound materials,
Dust tube and dust collecting bag included,
Rear exhaust



QTY: 10 PCS
Carton size: 40x28.5x33cm




FASG4075

DESCRIPTION

All-purpose easy-to-clean
paint spray gun,
Construction with gun featuring
exclusive air valve design,
Fully adjustable wide fan
pattern control,
400cc capacity dripless cup



QTY: 10 PCS
Carton size: 56x41x26cm




FASG3101

DESCRIPTION

All-purpose easy-to-clean
paint spray gun,
Construction with gun featuring
exclusive air valve design,
Fully adjustable wide fan
pattern control,
1000cc capacity dripless cup



QTY: 10 PCS
Carton size: 57x35x30cm



FAT0005

- 1 Air Washing Gun 1000cc
- 1 Air Spray Gun 750cc
- 1 Air Blow Gun
- 1 Tyre Inflating Gun
- 1 Air Hose 5m



QTY: 10 PCS
Carton size: 40x28.5x33cm



FASG4051

DESCRIPTION

All-purpose easy-to-clean
paint spray gun,
Construction with gun featuring
exclusive air valve design,
Fully adjustable wide fan
pattern control,
500cc capacity dripless cup



QTY: 20 PCS
Carton size: 57x36x40cm



FASG3102

DESCRIPTION

All-purpose easy-to-clean
paint spray gun,
Construction with gun featuring
exclusive air valve design,
Fully adjustable wide fan
pattern control,
1000cc capacity dripless cup



QTY: 20 PCS
Carton size: 57x36x40cm



FAWG1001

DESCRIPTION

Strength and durability of metal alloy structures, It is mainly used to clean dirt and grease on engines and machinery, It can also be used for dust blowing, painting and other suitable work. Copper nozzles prevent rust and last longer.



QTY: 20 PCS
Carton size: 55x44x22cm




FADG1001

AIR BLOW GUN



QTY: 100 PCS
Carton size: 60x46x23cm



FATG0001

DESCRIPTION

Multifunctional tire inflator, locking chuck and tire pressure gauge. Made of zinc alloy material, durable and practical. Can connect with the air pump, dust purging for the vehicle engine.



QTY: 40 PCS
Carton size: 50x40x25cm



Air Grease Lubricator

SPECIFICATIONS

MODEL NO.:	FAGL1201	AIR CONSUMPTION:	120 L/min
USAGE:	Grease Inject	MAX. FLUID PRESSURE:	400 bar
POWER:	Pneumatic	PRESSURE RATIO:	50:1
BARREL CAPACITY:	12 L	SUCTION TUBE DIAMETER:	30 mm
MATERIAL:	Steel	GREASE OUTPUT :	0.05 L/min
COLOR:	Blue	INLET AND OUTLET :	1/4"
WORKING PRESSURE:	30-40 bar	GREASE GUN HOSE:	5 m
AIR PRESSURE:	0.6-0.8 Mpa	NET WEIGHT:	12 Kgs



QTY: 1 PCS
Carton size: 36x32x85cm

FHCPK06



DESCRIPTION

1/4" 6pcs quick coupler and plug kit
High quality material
Simple to use
Prevent air from escaping
Widely used



QTY: 100 PCS
Carton size: 34x32x28cm

Air Hose



Item No.	L(m)	D(mm)
FAH0005	5	5/8
FAH0010	10	5/8
FAH0015	15	5/8



5m QTY: 90 PCS
Carton size: 43x39x43cm
10m QTY: 45 PCS
Carton size: 44x42x50cm
15m QTY: 30 PCS
Carton size: 44x42x50cm

Ga18 crown staple




Used for FACN5040

Item No.	crown (mm)	Length (mm)
FST1816	5.7	16
FST1825	5.7	25
FST1830	5.7	30



16 QTY: 1080XES
Carton size: 20x19x14.5cm
25 QTY: 580XES
Carton size: 20x14.5x14.5cm
30 QTY: 580XES
Carton size: 20x14.5x14.5cm

Ga18 brad nail



Used for FABNOF30/FABNF50

Item No.	Length (mm)
FNA1815	15
FNA1820	20
FNA1825	25
FNA1830	30



15 QTY: 2080XES
Carton size: 26x14x10.5cm
20 QTY: 2080XES
Carton size: 26x14x13cm
25 QTY: 2080XES
Carton size: 32x14x13cm
30 QTY: 1080XES
Carton size: 31x14x8.3cm

Ga21 crown staple



Used for FABN08016

Item No.	crown (mm)	Length (mm)
FST2108	12.8	8
FST2110	12.8	10
FST2112	12.8	12
FST2114	12.8	14



8 QTY: 2580XES
Carton size: 37x19x13.5cm
10 QTY: 2580XES
Carton size: 37x24x13.5cm
12 QTY: 2580XES
Carton size: 37x27x13.5cm
14 QTY: 2580XES
Carton size: 37x31.5x13.5cm

Ga18 crown staple



Used for FACN5040

Item No.	crown (mm)	Length (mm)
FST1832	5.7	32
FST1835	5.7	35
FST1840	5.7	40



32 QTY: 580XES
Carton size: 20.5x18x14.5cm
35 QTY: 580XES
Carton size: 20.5x18x14.5cm
40 QTY: 580XES
Carton size: 22x19x14.5cm

Ga18 brad nail




Used for FABNOF30/FABNF50

Item No.	Length (mm)
FNA1835	35
FNA1840	40
FNA1850	50



35 QTY: 1080XES
Carton size: 32x14x9.5cm
40 QTY: 1080XES
Carton size: 32x14x10.5cm
50 QTY: 1080XES
Carton size: 31.5x14x12.5cm

Staples



Used for FHHS0414

Item No.	crown (mm)	Length (mm)
FST1131206	11.3	6
FST1131208	11.3	8
FST1131210	11.3	10
FST1131212	11.3	12



6 QTY: 1080XES
Carton size: 33x18.5x13.7cm
8 QTY: 1080XES
Carton size: 32x21.5x13.7cm
10 QTY: 1080XES
Carton size: 32x27x13.7cm
12 QTY: 1080XES
Carton size: 34x32x13.7cm

SCREWDRIVER BITS


- Made of S2 industria steel,high hardness and torque.
- Made by German CNC machinery,precisely grip on screws.
- Nickel plated,with magnetic.



Available sizes as follow

Item No.	N(pcs/set)	Diameter	Total length
FSDB111025	10	PH2	25mm/1"
FSDB111050	10	PH2	50mm/2"
FSDB121065	10	PH2	65mm/2.5"

SDS PLUS HAMMER DRILL BIT




Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FHDS104110	4.0	110	50
FHDS105110	5.0	110	50
FHDS106110	6.0	110	50
FHDS108110	8.0	110	50
FHDS110110	10.0	110	50
FHDS106160	6.0	160	90
FHDS108160	8.0	160	90
FHDS110160	10.0	160	90
FHDS112160	12.0	160	90
FHDS114160	14.0	160	90
FHDS116160	16.0	160	90
FHDS106210	6.0	210	135
FHDS108210	8.0	210	135
FHDS110210	10.0	210	135
FHDS112210	12.0	210	135
FHDS114210	14.0	210	135
FHDS116210	16.0	210	135
FHDS118210	18.0	210	135
FHDS120210	20.0	210	135
FHDS106260	6.0	260	185
FHDS108260	8.0	260	185
FHDS110260	10.0	260	185
FHDS112260	12.0	260	185
FHDS114260	14.0	260	185
FHDS116260	16.0	260	185
FHDS118260	18.0	260	185
FHDS120260	20.0	260	185
FHDS122260	22.0	260	185
FHDS124260	24.0	260	185
FHDS126260	26.0	260	185
FHDS108310	8.0	310	250
FHDS110310	10.0	310	250
FHDS112310	12.0	310	250
FHDS114310	14.0	310	250
FHDS116310	16.0	310	250
FHDS118310	18.0	310	250
FHDS120310	20.0	310	250
FHDS122310	22.0	310	250
FHDS124310	24.0	310	250
FHDS108450	8.0	450	350
FHDS110450	10.0	450	350
FHDS112450	12.0	450	350
FHDS114450	14.0	450	350
FHDS116450	16.0	450	350
FHDS118450	18.0	450	350
FHDS120450	20.0	450	350
FHDS122450	22.0	450	350
FHDS124450	24.0	450	350
FHDS110600	10.0	600	490
FHDS112600	12.0	600	490
FHDS114600	14.0	600	490
FHDS116600	16.0	600	490
FHDS118600	18.0	600	490
FHDS120600	20.0	600	490
FHDS122600	22.0	600	490
FHDS125600	25.0	600	490



Item No.	Diameter(mm)	Item No.	Diameter(mm)
FSDSK501	Φ5/6/8/10/12	FSDSK502	Φ6/8/10/12/14

SDS MAX HAMMER DRILL BIT



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBSM16400	16	400	265
FDBSM18400	18	400	265
FDBSM20400	20	400	265
FDBSM22400	22	400	265
FDBSM25400	25	400	265
FDBSM20600	20	600	465
FDBSM22600	22	600	465
FDBSM18600	18	600	465
FDBSM25600	25	600	465
FDBSM28600	28	600	465
FDBSM30600	30	600	465
FDBSM32600	32	600	465
FDBSM20800	20	800	660
FDBSM25800	25	800	660
FDBSM30800	30	800	660

SDS PLUS ,HEX,SDS MAX CHISEL

- Heavy-duty quality.
- Made of high grade special steel and have a wear-resistant, shot-blasted surface finish.
- High removal capacity thanks to optimal weight distribution.
- Only used on machines with rotation stop facility.
- For light chiseling and gouging application on concrete, masonry and natural stone.



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FHCS114000	SDS plus	14	0	250
FHCS114020	SDS plus	14	20	250
FHCS114040	SDS plus	14	40	250



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FDCH117000	Hex	17	0	400
FDCH117300	Hex	17	0	300
FDCH128000	Hex	28	0	560
FDCH130000	Hex	30	0	410
FDCH117025	Hex	17	25	400
FDCH130040	Hex	30	40	410



Available sizes as follow

Item No.	Shank	Dia.(mm)	Width(mm)	length(mm)
FHCH2840000	SDS MAX	18	0	400
FHCH2840025	SDS MAX	18	25	400
FHCH2830000	SDS MAX	18	0	300
FHCH2830025	SDS MAX	18	25	300

MASONRY DRILL BIT

- Impact-resistant and bend-resistant drill bit,guarantees longer life.
- Wide and deeply supported plate prevents the tip from breaking out.
- High-temperature-brazed tungsten carbide blades for fast,accurate and safe drilling.




Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBM100031	3.0	60.0	30.0
FDBM100041	4.0	75.0	40.0
FDBM100051	5.0	85.0	50.0
FDBM100061	6.0	100.0	60.0
FDBM100081	8.0	120.0	80.0
FDBM100082	8.0	200.0	134.0
FDBM100101	10.0	120.0	80.0
FDBM100102	10.0	200.0	135.0
FDBM100121	12.0	150.0	90.0
FDBM100122	12.0	200.0	135.0

WOOD TWIST DRILL BIT

- Made of high carbon steel, hardened and tempered.
- Center location point and outer spurs give clean, accurate holes.



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FDBW100030	3.0	61.0	33.0
FDBW100040	4.0	75.0	43.0
FDBW100050	5.0	86.0	52.0
FDBW100060	6.0	93.0	57.0
FDBW100070	7.0	109.0	69.0
FDBW100080	8.0	117.0	75.0
FDBW100090	9.0	125.0	81.0
FDBW100100	10.0	133.0	87.0
FDBW100110	11.0	142.0	94.0
FDBW100120	12.0	151.0	101.0
FDBW100130	13.0	151.0	101.0

FLAT WOOD BIT

- Carbon steel coating for capability and durability.
- The flat paddle design features a sharp cutting edge, ensures the hole smooth clean.
- Self-centering spade tip for spot-on starts, and the bit evacuates the material as it cuts.
- Good choice of hole cutter.



Available sizes as follow


Item No.	Diameter(mm)	Total length(mm)
FFWB06	6.0	152
FFWB08	8.0	152
FFWB10	10.0	152

Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)
FFWB12	12.0	152
FFWB13	13.0	152
FFWB14	14.0	152
FFWB16	16.0	152
FFWB18	18.0	152
FFWB19	19.0	152
FFWB20	20.0	152
FFWB22	22.0	152
FFWB24	24.0	152
FFWB25	25.0	152
FFWB28	28.0	152
FFWB30	30.0	152
FFWB32	32.0	152
FFWB35	35.0	152
FFWB36	36.0	152
FFWB38	38.0	152
FFWB40	40.0	152

GLASS TILE DRILL BITS

- High grade tungsten carbide tip
- Alloy steel shank, hardened and tempered
- Unique spear head prevents chipping and breaking
- Thinned chisel edge facilitates precise drilling of pilot holes
- Tip was automatically welded on shank by special machinery



Available sizes as follow

Item No.	Diameter(mm)	Total length(mm)	Working length (mm)
FGDB03	3.0	83	47
FGDB04	4.0	84	47
FGDB05	5.0	84	47
FGDB06	6.0	102	60
FGDB08	8.0	104	64
FGDB10	10.0	123	75
FGDB12	12.0	125	78

HSS TWIST DRILL BIT

- Twist drill bits made of high speed steel manufactured to DIN 338.
- Right-hand cutting twist drill bits, Type N, drill bit tip 118°.
- Even chip removal and reduction of chip friction.
- Extremely true running and precise round holes.
- High fracture strength and long life.



Available sizes as follow(HSS-G)

Package: PE bag

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBG10010	1.0	34	12	10
FDBG10015	1.5	40	18	10
FDBG10020	2.0	49	24	10
FDBG10025	2.5	57	30	10
FDBG10030	3.0	61	33	10
FDBG10032	3.2	65	36	10
FDBG10035	3.5	70	39	10
FDBG10040	4.0	75	43	10
FDBG10042	4.2	75	43	10
FDBG10045	4.5	80	47	10
FDBG10048	4.8	86	52	10
FDBG10050	5.0	86	52	10
FDBG10055	5.5	93	57	10
FDBG10060	6.0	93	57	10
FDBG10065	6.5	101	63	10
FDBG10070	7.0	109	69	10
FDBG10075	7.5	109	69	10
FDBG05080	8.0	117	75	5
FDBG05085	8.5	117	75	5
FDBG05090	9.0	125	81	5
FDBG05095	9.5	125	81	5
FDBG05100	10.0	133	87	5
FDBG05105	10.5	133	87	5
FDBG05110	11.0	142	94	5
FDBG05115	11.5	142	94	5
FDBG05120	12.0	151	101	5
FDBG05125	12.5	151	101	5
FDBG05130	13.0	151	101	5
FDBG05140	14.0	160	108	5
FDBG05150	15.0	169	114	5
FDBG05160	16.0	178	120	5

Available sizes as follow(M2)

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBM02010	1.0	34	12	2
FDBM02015	1.5	40	18	2
FDBM02020	2.0	49	24	2
FDBM02025	2.5	57	30	2
FDBM02030	3.0	61	33	2
FDBM02032	3.2	65	36	2
FDBM02035	3.5	70	39	2
FDBM01040	4.0	75	43	1
FDBM01042	4.2	75	43	1
FDBM01045	4.5	80	47	1
FDBM01048	4.8	86	52	1
FDBM01050	5.0	86	52	1
FDBM01055	5.5	93	57	1
FDBM01060	6.0	93	57	1
FDBM01065	6.5	101	63	1
FDBM01070	7.0	109	69	1
FDBM01075	7.5	109	69	1
FDBM01080	8.0	117	75	1
FDBM01085	8.5	117	75	1
FDBM01090	9.0	125	81	1
FDBM01095	9.5	125	81	1
FDBM01100	10.0	133	87	1

Available sizes as follow(M2)

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBM01105	10.5	133	87	1
FDBM01110	11.0	142	94	1
FDBM01115	11.5	142	94	1
FDBM01120	12.0	151	101	1
FDBM01125	12.5	151	101	1
FDBM01130	13.0	151	101	1
FDBM01140	14.0	160	108	1
FDBM01150	15.0	169	114	1
FDBM01160	16.0	178	120	1

Available sizes as follow(M35)

Item No.	Diameter (mm)	Total length (mm)	Working length (mm)	Quantity (pcs)
FDBC102010	1.0	34	12	2
FDBC102015	1.5	40	18	2
FDBC102020	2.0	49	24	2
FDBC102025	2.5	57	30	2
FDBC102030	3.0	61	33	2
FDBC102032	3.2	65	36	2
FDBC102035	3.5	70	39	2
FDBC100040	4.0	75	43	1
FDBC100042	4.2	75	43	1
FDBC100045	4.5	80	47	1
FDBC100048	4.8	86	52	1
FDBC100050	5.0	86	52	1
FDBC100055	5.5	93	57	1
FDBC100060	6.0	93	57	1
FDBC100065	6.5	101	63	1
FDBC100070	7.0	109	69	1
FDBC100075	7.5	109	69	1
FDBC100080	8.0	117	75	1
FDBC100085	8.5	117	75	1
FDBC100090	9.0	125	81	1
FDBC100095	9.5	125	81	1
FDBC100100	10.0	133	87	1
FDBC100105	10.5	133	87	1
FDBC100110	11.0	142	94	1
FDBC100115	11.5	142	94	1
FDBC100120	12.0	151	101	1
FDBC100125	12.5	151	101	1
FDBC100130	13.0	151	101	1
FDBC100140	14.0	160	108	1
FDBC100150	15.0	169	114	1
FDBC100160	16.0	178	120	1

Drill BITS (WOOD / MASONRY / HSS-G)**WOOD TWIST DRILL BIT**
5pcs wood twist drill bits set

Item No.	Diameter(mm)
FDBW105001K	Φ 4/5/6/8/10

www.fixtectools.com



MASONRY DRILL BIT
5pcs masonry drill bits set

Item No.	Diameter(mm)
FDBM105001K	Φ 4/5/6/8/10



HSS TWIST DRILL BIT
5pcs HSS-G twist drill bits set

Item No.	Diameter(mm)
FDBG105001K	Φ 3/4/5/6/8



16pcs drill bits set

Item No.	Diameter(mm)
FDBK016	Metal 2,3,4,5,6,8mm
	Concrete 4,5,6,8,10mm
	wood 4,5,6,8,10mm

TCT SAW BLADE

TCT saw blade for wood and aluminum cutting.

- It's widely used on table saws and radical arm saw, for cutting aluminium alloy materials, soft metal.
- These blades provides the long life at the lowest cost per cut, the segmented gullets provides faster, cleaner and cooler cuts.
- The blade should be used where chipping is not a problem.



Available sizes as follow

Item No.	Diameter	Max. RPM	Teeth	Arbor (mm)	Application
FCSB111020	4"	13000	40T	20	Wood Cutting, Marble Cutter
FCSB111030	4"	13000	30T	20	Wood Cutting, Marble Cutter
FCSB116524	6-1/2"	8800	24T	20	Wood Cutting, Marble Cutter
FCSB118060	7"	8600	60T	25.4	Wood Cutting, Circular saw
FCSB118524	7-1/4"	8200	24T	16	Wood Cutting, Circular saw
FCSB118540	7-1/4"	8200	40T	16	Wood Cutting, Circular saw
FCSB118560	7-1/4"	8200	60T	16	Wood Cutting, Circular saw
FCSB121048	8-1/4"	7200	48T	30	Wood Cutting, Mitre saw
FCSB221060	8-1/4"	7200	60T	30	Wood Cutting, Mitre saw
FCSB123060	9"	6300	60T	30	Wood Cutting, Circular saw
FCSB123560	9-1/4"	6600	60T	25.4	Wood Cutting, Circular saw
FCSB125460	10"	6000	60T	30	Wood Cutting, Mitre saw
FCSB125480	10"	6000	80T	30	Wood Cutting, Mitre saw
FCSB254100	10"	5800	100T	25.4	Wood Cutting, Mitre saw
FCSB225410	10"	6000	60T	30	Wood Cutting, Mitre saw
FCSB130060	12"	4800	60T	25.4	Wood Cutting, Mitre saw
FCSB1300100	12"	4200	100T	25.4	Wood Cutting, Mitre saw
FCSB135560	14"	4200	60T	25.4	Wood Cutting, Mitre saw

DIAMOND SAW BLADE



Diamond Saw Blade Selection Chart

Material	Segmented Rim Rough Cut	Turbo Rim Smooth Cut	Continuous Rim Clean Cut
Concrete	●	●	○
Brick	●	●	○
Concrete Pavers	●	●	○
Masonry/Block	●	●	○
Hard/Reinforced Concrete	●	●	○
Limestone	●	●	○
Marble	○	●	●
Granite	○	○	●
Porcelain Tile	○	○	●
Ceramic Tile	○	○	●

● = Recommended ○ = Acceptable ○ = Not Recommended



Available sizes as follow

Item No.	Type	Size (mm)	Max. Speed (min ⁻¹)	Max. Speed (m/s)	Application
FDBD111018	Universal, segment	110x20	13800	80	Dry cutting
FDBW111018	Tiles	110x20	13800	80	Wet cutting
FDBS111020	Universal, Turbo	110x20	13800	80	Wet and Dry cutting
FDBD111520	Universal, segment	115x22.2	13200	80	Dry cutting
FDBW111520	Tiles	115x22.2	13200	80	Wet cutting
FDBS111522	Universal, Turbo	115x22.2	13200	80	Wet and Dry cutting
FDBD112520	Universal, segment	125x22.2	12200	80	Dry cutting
FDBW112520	Tiles	125x22.2	12200	80	Wet cutting
FDBS112522	Universal, Turbo	125x22.2	12200	80	Wet and Dry cutting
FDBD118024	Universal, segment	180x22.2	8400	80	Dry cutting
FDBW118022	Tiles	180x22.2	8400	80	Wet cutting
FDBS118026	Universal, Turbo	180x22.2	8400	80	Wet and Dry cutting
FDBD123026	Universal, segment	230x22.2	6600	80	Dry cutting
FDBW123024	Tiles	230x22.2	6600	80	Wet cutting
FDBS123028	Universal, Turbo	230x22.2	6600	80	Wet and Dry cutting

SANDING SHEET FOR DRYWALL SANDER



Item No.	Diameter(mm)	Holes	Grit & Number	Match with
FDSP180001	Φ 190	8	5x P180	FDS08001 FDS08001L
FDSP225120	Φ 225	8	5x P120	FDS06001
FDSP225150	Φ 225	8	5x P150	

ABRASIVE SERIES



Available cutting disc

Item No.	Diameter(mm)	Thickness(mm)	Bore(mm)
FACD110012	100	1.2	16.0
FACD110510	105	1.0	16.0
FACD111510	115	1.0	22.2
FACD111530	115	3.0	22.2
FACD112510	125	1.0	22.2
FACD112530	125	3.0	22.2
FACD118016	180	1.6	22.2
FACD118020	180	2.0	22.2
FACD118030	180	3.0	22.2
FACD123020	230	2.0	22.2
FACD123030	230	3.0	22.2
FACD135530	355	3.0	25.4

Available grinding disc

Item No.	Diameter(mm)	Thickness(mm)	Bore(mm)
FAGD110060	100	6.0	16.0
FAGD111540	115	6.0	22.2
FAGD112540	125	6.0	22.2
FAGD118060	180	6.0	22.2
FAGD123060	230	6.0	22.2

JIG SAW BLADE

- Made of high-carbon steel, high speed steel, Bi-metal steel or other materials.
- Depending on applications varying with regard to speed, precision, stability and accuracy.



Item No.	Spec	N(pcs/set)
FJSB100502	FT101D	5
FJSB100503	FT111C	5
FJSB100504	FT118B	5
FJSB100505	FT244D	5
	FT111C	2
FJSB100501K	FT118B	2
	FT127D	1

HCS




SAW CHAIN

Item No.	Length
FKSC0004	100mm(4")
FKSC0016	400mm(16")
FKSC0022	550mm(22")
FKSC0024	600mm(24")
FKSC3816	400mm(16")
FKSC32518	600mm(24")



DIAMOND GRINDING WHEEL



Item No.	Diameter(mm)	Thickness(mm)
FCGW10001	100x20	5
FCGW11501	115x22.23	5
FCGW12501	125x22.23	5
FCGW10002	100x20	5
FCGW11502	115x22.23	5
FCGW12502	125x22.23	5



PLANER BLADES



Item No.	Size(mm)	N(pcs/set)
FPB8201	82X 29X 3	2



Item No.	Size(mm)	N(pcs/set)
FPB8202	82X 5.5X 1.2	2



www.fixtectools.com


RECIPROCATING SAW BLADE



Item No.	Size(mm)	
FMTA04	10X40x0.6X18T	WOOD SAW BLADE
	20X40x0.6X18T	WOOD SAW BLADE
	32X40x0.6X18T	WOOD SAW BLADE
	Φ 87X0.50X18T	RADIAL SAW BLADE

Item No.	Size(mm)	
FMTA17	Φ 87X0.50X18T	RADIAL SAW BLADE
	80	DELTA SANDING PAD
	80	ALUMINUM-OXIDE DELTA SANDPAPER FOR WOOD
	34X0.66X18T	WOOD SAW BLADE
	34X0.8X18T	METAL SAW BLADE
	34x0.66x 14T	WOOD SAW BLADE
	50	RIGID SCRAPER
	50	FLEXIBLE SCRAPER

ARROW MAGNETIC WELDING HOLDER



Item No.	SIZE
FHMH03	3" 25LB
FHMH04	4" 50LB
FHMH05	5" 75LB

Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10075A	75mm(3")	M10
FWB10100A	100mm(4")	M10
FWB14075A	75mm(3")	M14
FWB14100A	100mm(4")	M14
FWB14125A	125mm(5")	M14
FWB58075A	75mm(3")	5/8-11
FWB58100A	100mm(4")	5/8-11
FWB58125A	125mm(5")	5/8-11



3" QTY:80PCS
Carton size:59x36x40cm

4" QTY:40PCS
Carton size:49.5x39x46cm

5" QTY:24PCS
Carton size:54x29x36cm

Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10100C	100mm(4")	M10
FWB14100C	100mm(4")	M14
FWB58100C	100mm(4")	5/8-11



QTY:48PCS
Carton size:48x48x34cm

Wire end brush with shank



Item No.	Diameter	Shank diameter(mm)
FWB025E	25mm(1")	6.35
FWB050E	50mm(2")	6.35
FWB075E	75mm(3")	6.35



2" QTY:240PCS
Carton size:44x26x43cm

3" QTY:180PCS
Carton size:44x35.5x46cm

4" QTY:120PCS
Carton size:54x37x48cm

Wire cup brush with nut



Item No.	Diameter	Thread Size(mm)
FWB10075B	75mm(3")	M10
FWB10100B	100mm(4")	M10
FWB14075B	75mm(3")	M14
FWB14100B	100mm(4")	M14
FWB14125B	125mm(5")	M14
FWB58075B	75mm(3")	5/8-11
FWB58100B	100mm(4")	5/8-11
FWB58125B	125mm(5")	5/8-11



3" QTY:48PCS
Carton size:49.5x40x30cm

4" QTY:48PCS
Carton size:52x48x30cm

5" QTY:24PCS
Carton size:54x29x36cm

Wire wheel



Item No.	Diameter	Shank diameter(mm)
FWB050D	50mm(2")	6.35
FWB075D	75mm(3")	6.35
FWB100D	100mm(4")	6.35



2" QTY:240PCS
Carton size:60x33x40cm

3" QTY:144PCS
Carton size:53x34x48cm

4" QTY:40PCS
Carton size:46x26x43cm

Wire brush



Item No.	L(mm)
FHWB100	250



QTY:120PCS
Carton size:42x29.5x43cm

www.fixtectools.com

Combination plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHCP1006	160mm/6"
FHCP1007	180mm/7"
FHCP1008	200mm/8"

Cr-V



6"
QTY:50PCS
Carton size:53x24x30cm
7"
QTY:50PCS
Carton size:55x26x32cm
8"
QTY:50PCS
Carton size:55x27x32cm

Bent nose plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHBN1006	160mm/6"

Cr-V



QTY:50 PCS
Carton size:53x23x29cm

Diagonal cutting plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHDC1006	160mm/6"
FHDC1007	180mm/7"

Cr-V



6"
QTY:50PCS
Carton size:53x24x30cm
7"
QTY:50PCS
Carton size:55x26x32cm

www.fixtectools.com

Long nose plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHLN1006	160mm/6"
FHLN1008	200mm/8"

Cr-V



6"
QTY:50 PCS
Carton size:53x23x29cm
8"
QTY:50 PCS
Carton size:51x25x31cm

Flat nose plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHFN1006	160mm/6"

Cr-V



QTY:50 PCS
Carton size:53x23x29cm

Wire stripping plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHWS1006	160mm/6"

Cr-V



QTY:50PCS
Carton size:55x24x30cm

End cutting plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHEC1006	160mm/6"


Cr-V



QTY:50 PCS
Carton size:55x23x32cm

Insulated diagonal cutting plier

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHDCP207	180mm/7"

Cr-V



QTY:50PCS
Carton size:50.5x30x44.5cm

Pump plier

DESCRIPTION
Chrome Vanadium
TPR double color handle
Black polished



Item No.	Length
FHPP3010	250mm/10"

Cr-V



QTY:40 PCS
Carton size:35.5x28x25cm

Insulated combination plier

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHCP207	180mm/7"

Cr-V



QTY:50PCS
Carton size:50.5x30x44.5cm

Insulated long nose plier

DESCRIPTION
Chrome Vanadium
TPR double color handle



Item No.	Length
FHLNP206	160mm/6"

Cr-V



QTY:50PCS
Carton size:50.5x30x44.5cm

Rabbit plier

DESCRIPTION
Chrome Vanadium
Plastic enfold handle



Item No.	Length
FHRP3008	200mm/8"

Cr-V



QTY:50 PCS
Carton size:40x28.5x21cm

www.fixtectools.com

Carpenter plier

DESCRIPTION
Chrome Vanadium
Plastic enfold handle



Item No.	Length
FHCPP3008	200mm/8"

Cr-V



QTY:80 PCS
Carton size:46x28.5x23cm

Pipe Wrench

DESCRIPTION
American Type
Drop-forged teeth
High quality carbon steel
Plastic dipped handle
Polished jaw and body painted
Easy adjustment



Item No.	Length
FHPW1018	450mm/18"
FHPW1024	600mm/24"
FHPW1036	900mm/36"
FHPW1048	1200mm/48"



18" QTY:12PCS
Carton size:41.5x30.5x9.5cm
24" QTY:5PCS
Carton size:62.5x12.5x23cm
36" QTY:3PCS
Carton size:78.5x13x15cm
48" QTY:2PCS
Carton size:103.5x14.5x10cm

Pipe Wrench

DESCRIPTION
American Type
Drop-forged teeth
High quality carbon steel
Plastic dipped handle
Polished jaw and body painted
Easy adjustment



Item No.	Length
FHPW1008	200mm/8"
FHPW1010	250mm/10"
FHPW1012	300mm/12"
FHPW1014	350mm/14"



8" QTY:24PCS
Carton size:23x28x12cm
10" QTY:24PCS
Carton size:26.5x24.5x13.5cm
12" QTY:24PCS
Carton size:29.5x24.5x14.5cm
14" QTY:18PCS
Carton size:33.5x14.5x24.5cm

Bolt Cutter

DESCRIPTION
American Type
High quality carbon steel
Drop-forged blades
Body heat treatment
Black finished on blades



Item No.	Length
FHBC1018	450mm/18"
FHBC1024	600mm/24"



18" QTY:10PCS
Carton size:47.5x27.5x14cm
24" QTY:10PCS
Carton size:63.5x31.5x17cm

Curved jaw locking plier

DESCRIPTION
High quality carbon steel
Surface nickel plated



Item No.	Length
FHCJT5010	250mm/10"



QTY:34PCS
Carton size:30x28x22cm

Long nose locking plier

DESCRIPTION
High quality carbon steel
Surface nickel plated



Item No.	Length
FHLNT5009	215mm/9"



QTY:34PCS
Carton size:30x28x22cm

Curved jaw lock plier

DESCRIPTION
Chrome Vanadium
Surface nickel plated
TPR handle



Item No.	Length
FHCJT4010	250mm/10"

Cr-V

Jaw hardness
HRC45-HRC55

QTY:36 PCS
Carton size:39x33x29cm

Wire stripper

DESCRIPTION
Blade material : 50# carbon steel
Dual color plastic handle




Item No.	Length	Diameter
FHWS0007	180mm/7"	0.6mm,0.8mm 1.0mm,1.3mm 1.6mm,2.0mm,2.6mm



QTY:90PCS
Carton size:50x24x24cm

Mini plier set

DESCRIPTION
4.5" combination plier
4.5" long nose plier
4.5" diagonal cutting plier
High carbon steel
Surface polished finish
Comfort grip
Lifetime warranty



Item No.	Length
FHMPS003	115mm/4.5"



QTY:48SET
Carton size:44x21x25cm

Long nose locking plier

DESCRIPTION
Chrome Vanadium
Surface nickel plated
TPR handle



Item No.	Length
FHLNT4009	215mm/9"

Cr-V

Jaw hardness
HRC45-HRC55

QTY:36PCS
Carton size:34x32x24cm

Duck mouth stripping plier

DESCRIPTION
2in1 wire stripper & cutter
Applicable wire stripper size:0.5mm-4mm



Item No.	Cutting size
FHWDS007	0.5-4mm



QTY:50PCS
Carton size:59.5x24.5x25cm

3pcs plier set

DESCRIPTION
Chrome Vanadium
TPR double color handle
6" Diagonal cutting plier
7" Combination plier
6" Long nose plier



Item No.	PCS
FHPK031	3

Cr-V



QTY:24 SET
Carton size:48x29x31cm

3pcs plier set

DESCRIPTION

High quality carbon steel
TPR double color handle
6" Diagonal cutting plier
7" Combination plier
6" Long nose plier



Item No.	PCS
FHPK032	3



QTY:24 SET
Carton size:48x29x31cm


Aviation tin Snip

DESCRIPTION

Chrome Vanadium
Bulk heat treatment:58-62HRC
Handle Lock for Safe Storage
Cutting range from 0.7-1.2mm
Sand blast for surface treatment



Item No.	Length
FHATS010	250mm/10"



QTY:36PCS
Carton size:34.5x32.5x37cm


Aviation tin Snip

DESCRIPTION

Chrome Vanadium
Bulk heat treatment:58-62HRC
Handle Lock for Safe Storage
Cutting range from 0.7-1.2mm
Sand blast for surface treatment



Item No.	Length
FHATR010	250mm/10"



QTY:36PCS
Carton size:34.5x32.5x37cm

www.fixtectools.com

4pcs Circlip plier set

DESCRIPTION

External straight circlip pliers-7"
Internal straight circlip pliers-7"
External bent circlip pliers-7"
Internal bent circlip pliers-7"



Item No.	Length	Φ
FHCP3007	180mm/7"	1.8mm



QTY:20 SET
Carton size:48x34.5x21cm


Aviation tin Snip

DESCRIPTION

Chrome Vanadium
Bulk heat treatment:58-62HRC
Handle Lock for Safe Storage
Cutting range from 0.7-1.2mm
Sand blast for surface treatment



Item No.	Length
FHATL010	250mm/10"



QTY:36PCS
Carton size:34.5x32.5x37cm

Tin Snip

DESCRIPTION

American Type
High carbon steel
Dipped pvc handle
Cutting range from 0.5-1.0mm
Sand blast for surface treatment



Item No.	Length
FHTS0010	250mm/10"



QTY:40PCS
Carton size:34x35x28cm

Garden scissors

DESCRIPTION

Blade material:46Cr13
Blade thickness:3.0mm
Aluminum alloy handle
15mm cutting capacity



Item No.	Length
FHGS0008	200mm/8"




QTY:48PCS
Carton size:40.5x26x28.5cm

Lopper

DESCRIPTION

Blade material : 50# carbon steel
Blade thickness: 4.0mm
Dual color plastic handle



Item No.	Length
FHLP0070	700mm/27"



QTY:12PCS
Carton size:76x31.5x25.5cm

Utility knife

DESCRIPTION

6 pcs self-loading Zinc-Alloy cutter
Ideal for craft & industry
Perfect for cutting



Item No.	Blade size
FHUC0003	19x61mm



QTY:72 PCS
Carton size:42.5x26.5x26.5cm

Hedge shear

DESCRIPTION

Blade material : 50# carbon steel
Blade thickness: 4.0mm
Dual color plastic handle



Item No.	Length
FHHS052	520mm/20"



QTY:12PCS
Carton size:48x24x27.5cm

Snap-off blade knife

DESCRIPTION

18mm Aluminium-Alloy cutter
with TPR grip
Ideal for craft & industry
Perfect for cutting



Item No.	Blade size
FHUC0001	18x100mm



QTY:144PCS
Carton size:50x25.5x42cm

Slotted screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle
Hardened and tempered blade



Item No.	Φ	Length
FHSS0375	3.0mm	75mm
FHSS4100	4.0mm	100mm
FHSS0638	6.0mm	38mm
FHSS5100	5.0mm	100mm
FHSS6125	6.0mm	125mm
FHSS6150	6.0mm	150mm
FHSS6200	6.0mm	200mm



75mm QTY:240PCS
Carton size:4.9x29x11cm
100mm QTY:240PCS
Carton size:4.9x29x11cm
38mm QTY:240PCS
Carton size:4.9x29x11cm
100mm QTY:240PCS
Carton size:3x3x39x48.5cm
125mm QTY:144PCS
Carton size:3x3x39x48.5cm
150mm QTY:144PCS
Carton size:3x3x39x48.5cm
200mm QTY:144PCS
Carton size:3x3x39x48.5cm

www.fixtectools.com

Phillips screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle

Item No.	Φ	Length
FHPH238	6.0mm	38mm
FHPH075	3.0mm	75mm
FHPH5100	5.0mm	100mm
FHPH6125	6.0mm	125mm
FHPH6150	6.0mm	150mm
FHPH6200	6.0mm	200mm

38mm QTY:240PCS
Carton size:45x29x51cm
75mm QTY:240PCS
Carton size:45x29x51cm
100mm QTY:240PCS
Carton size:45x29x51cm
125mm QTY:144PCS
Carton size:36.5x29x40.5cm
150mm QTY:144PCS
Carton size:36.5x29x40.5cm
200mm QTY:144PCS
Carton size:36.5x29x40.5cm



2 in 1 Screwdriver set

DESCRIPTION

Chrome Vanadium Blade
Magnetized Tip
Double Injected Soft Handle
Hardened and Tempered Blade

FHSD0201



QTY:48 PCS
Carton size:48x38x25.1cm

Insulated screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle



Item No.	Φ	Length
FHIPH2100	6.0mm	100mm



QTY:144PCS
Carton size:37x30x41cm

Phillips screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle
Hardened and tempered blade

Item No.	Φ	Length
FHPZ075	3.0mm	75mm
FHPZ5100	5.0mm	100mm
FHPZ6125	6.0mm	125mm
FHPZ6150	6.0mm	150mm
FHPZ6200	6.0mm	200mm

75mm QTY:360PCS
Carton size:45x29x51cm
100mm QTY:360PCS
Carton size:45x29x51cm
125mm QTY:144PCS
Carton size:36.5x29x40.5cm
150mm QTY:144PCS
Carton size:36.5x29x40.5cm
200mm QTY:144PCS
Carton size:36.5x29x40.5cm



Insulated screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle



Item No.	Φ	Length
FHISS4100	4.0mm	100mm



QTY:360PCS
Carton size:55x31x46cm

Insulated screwdriver

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle



Item No.	Φ	Length
FHIPZ2100	6.0mm	100mm



QTY:144PCS
Carton size:37x30x41cm

Screwdriver tester

DESCRIPTION

Test range:110-500V
Body material:ABS
Feeler material:CrV
Blade type:slot

Item No.	L(mm)	Voltage
FHSDT140	140	AC100-500V



QTY:400PCS
Carton size:52.5x28.5x32.5cm

Screwdriver tester

DESCRIPTION

Test range:110-500V
Body material:ABS
Feeler material:CrV
Blade type:slot

Item No.	L(mm)	Voltage
FHSDT190	190	AC100-500V



QTY:400PCS
Carton size:50x28x24cm

Phillips screwdriver

DESCRIPTION

Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade

Item No.	Φ	Length
FHCSPH075	PH0	3.0mm 75mm
FHCSPH1100	PH1	5.0mm 100mm
FHCSPH2150	PH2	6.0mm 150mm



75mm QTY:144PCS
Carton size:45x29x51cm
100mm QTY:144PCS
Carton size:45x29x51cm
150mm QTY:144PCS
Carton size:45x29x51cm

Screwdriver tester

DESCRIPTION

Test range:110-500V
Body material:ABS
Feeler material:CrV
Blade type:slot

Item No.	L(mm)	Voltage
FHSDT180	180	AC100-500V



QTY:400PCS
Carton size:52.5x28.5x32.5cm

Slotted screwdriver

DESCRIPTION

Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade

Item No.	Φ	Length
FHCSSL0375	3.0mm	75mm
FHCSSL4100	4.0mm	100mm
FHCSSL5100	5.0mm	100mm
FHCSSL6150	6.0mm	150mm



75mm QTY:144PCS
Carton size:45x29x51cm
100mm QTY:144PCS
Carton size:45x29x51cm
100mm QTY:144PCS
Carton size:45x29x51cm
150mm QTY:144PCS
Carton size:45x29x51cm

Pozidriv screwdriver

DESCRIPTION

Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade

Item No.	Φ	Length
FHCSPZ075	PZ0	3.0mm 75mm
FHCSPZ1100	PZ1	5.0mm 100mm
FHCSPZ2150	PZ2	6.0mm 150mm



75mm QTY:144PCS
Carton size:45x29x51cm
100mm QTY:144PCS
Carton size:45x29x51cm
150mm QTY:144PCS
Carton size:45x29x51cm

Screwdriver Set

DESCRIPTION

Magnetized Tip
Transparent plastic handle
Hardened and Tempered Blade



FHCS2006

SL3x75mm PH0x75mm
SL5x100mm PH1x100mm
SL6x150mm PH2x150mm

QTY:24SET
Carton size:45x29x51cm

Precision screwdriver set

DESCRIPTION

Tip type: Phillips, Slotted
Shank material: Cr-v
Packing way: plastic box



Item No.	Diameter
FHPSB006	SL1.0,SL1.4,SL1.8,SL2.4,PH0,PH1

Cr-V

QTY:120SET
Carton size:52x38x41cm

Ratchet Screwdriver Set

DESCRIPTION

• 1PC Ratchet Bit Driver
• 37PCS Screwdriver Bits



Item No.	PCS
FHSDK3801	38

QTY:36PCS
Carton size:37x26x26cm

Screwdriver Set

DESCRIPTION

Chrome vanadium
Magnetized tip
Double injected soft handle



FHST1006

6x38mm PH2x38mm
5x75mm PH1x75mm
6x100mm PH2x100mm

Cr-V Hrc
51-54QTY:24SET
Carton size:54x35.5x41cm

Interchangeable screwdriver set

DESCRIPTION

Chrome vanadium blade
Double injected soft handle
Magnetized tip
Hardened and tempered blade



Item No.	N(pcs)
FHIBSS08	8

Cr-V

QTY:36PCS
Carton size:27x26x34cm

3mm,5mm,6mm
PH0,PH1,PH2
Tack Puller
Scratch Awl

Ratchet Screwdriver Set

DESCRIPTION

• 26PCS Screwdriver Bits
• 9PCS Sockets
• 1PC Socket Wrench
Extension Bar(1/4x3")
• 1PC Transfer Rod
• 1PC Ratchet Wrench



Item No.	PCS
FHSDK3802	38

QTY:36PCS
Carton size:48x47x26cm

High-quality Screw Bit Kit

32PCS 25 mm BITS:

PH1-PH2*2 PH3
SL3-SL4-SL5-SL6
PZ0-PZ1-PZ2-PZ3
T10-T15-T20-T25*2-T27-T30-T40
H3-H4-H5-H6
6PCS 6.3 x 65 mm BITS:
SL6-PH2*2
T15-T20-T25

1PC 60 mm Quick Change
1PC 1/4" 80 mm SCREW GUIDE
3PCS 50 mm NUT DRIVER:
6mm-8mm-10mm



FHSDK43

Cr-V
6150 1/4"QTY:100 PCS
Carton size:46x37x33cm

Ball pein hammer

DESCRIPTION

High-quality carbon steel
Fiber handle



Item No.	Weight
FHBP20016	16oz
FHBP20024	24oz



16oz QTY:36PCS
Carton size:38.5x34.5x22cm
24oz QTY:24PCS
Carton size:42.5x30x24cm

Machinist hammer

DESCRIPTION

High-quality carbon steel
Fiber handle



Item No.	Weight
FHMH60500	500g
FHMH61000	1000g



500g QTY:24PCS
Carton size:38x31x21cm
1000g QTY:18PCS
Carton size:34x34x15cm

T-type Ratchet Screwdriver Set

DESCRIPTION

• 35PCS 6.3x25mm CR-V BITS
• 9PCS 35mm 1/4" DR. SOCKET
• 1PC 25mm 6-4 Transfer Rod
• 1PC 6.3X139mm BAR
• 1PC T Handle Ratchet
Screwdriver



Item No.	PCS
FHSDK47	47

QTY:24PCS
Carton size:43*24.5*27.4cm

Claw hammer

DESCRIPTION

High-quality carbon steel
Fiber handle



Item No.	Weight
FHCH20008	8oz
FHCH20016	16oz



8oz QTY:36PCS
Carton size:38x33x17cm
16oz QTY:24PCS
Carton size:44x38x20cm

Stoning hammer

DESCRIPTION

High-quality carbon steel
Fiber handle



Item No.	Weight
FHSH61000	1000g
FHSH62000	2000g



1000g QTY:12PCS
Carton size:34x24x15cm
2000g QTY:8PCS
Carton size:41x37x12cm

Rubber hammer

DESCRIPTION

High-quality oil resistant rubber
Fiber handle



Item No.	Weight
FHRH90016	16oz



QTY:24PCS
Carton size:42x42x21.5cm


Wrecking bar

DESCRIPTION

Made from high carbon steel
Powder coated and heat treated



Item No.	Length
FHWP6024	600mm/24"



QTY:10PCS
Carton size:7x15x7cm

Concrete chisel

DESCRIPTION

Anti-slip rubber &
double color handle
Surface heat treatment



Item No.	Size
FHCC5016	4x16x254mm
FHCC5019	4x19x305mm



QTY:10PCS
Carton size:38x32x21cm
QTY:10PCS
Carton size:37x33x21cm

Axe

DESCRIPTION

High-quality carbon steel
Fiber handle



Item No.	Weight
FHAX60600	600g



QTY:24PCS
Carton size:43.5x34x21cm

Cold chisel

DESCRIPTION

Anti-slip rubber &
double color handle
Surface heat treatment



Item No.	Size
FHCCF5019	19x16x254mm
FHCCF5025	25x19x305mm



QTY:10PCS
Carton size:38x32x21cm
QTY:10PCS
Carton size:37x33x21cm

Wood chisel

DESCRIPTION

Chrome Vanadium
TPR double color handle



Item No.	Length
FHWC2006	6mm/1/4"
FHWC2012	12mm/1/2"
FHWC2016	16mm/5/8"
FHWC2019	19mm/3/4"
FHWC2025	25mm/1"
FHWC2032	32mm/1-1/4"

1/4"
1/2"
5/8"
3/4"
1"
1-1/4"

QTY:40PCS
Carton size:38.5x21.5x31cm
QTY:40PCS
Carton size:38.5x21.5x31cm
QTY:40PCS
Carton size:38.5x21.5x31cm
QTY:40PCS
Carton size:38.5x21.5x31cm
QTY:40PCS
Carton size:38.5x21.5x31cm
QTY:40PCS
Carton size:38.5x21.5x31cm



4 pcs wood chisel set

DESCRIPTION

Chrome Vanadium
TPR dual color handle



Item No.	Width(mm)
FHWCZT04	6/12/19/25



QTY:5PCS
Carton size:34x32.5x29.5cm

PVC pipe cutter

DESCRIPTION

65# carbon steel blade
Aluminum alloy handle



Item No.	Length	Φ
FHPPC042	180mm/7"	3-42mm



QTY:50PCS
Carton size:72x29.5x28cm

Half round wood file

DESCRIPTION

High-quality carbon steel
TPR double color handle



Item No.	Length
FHHR5008	200mm/8"



QTY:50PCS
Carton size:44x41x29cm

Planer

DESCRIPTION

Blade 65Mn steel
Punched body,light-weighted.Handy
Compact,adjustable,precise



Item No.	Size
FHPL0235	235x50mm



QTY:30PCS
Carton size:53x24x31cm

Flat wood file

DESCRIPTION

High-quality carbon steel
TPR double color handle



Item No.	Length
FHFW5008	200mm/8"



QTY:50PCS
Carton size:44x41x29cm

Round wood file

DESCRIPTION

High-quality carbon steel
TPR double color handle



Item No.	Length
FHRW5008	200mm/8"



QTY:50PCS
Carton size:44x41x29cm

Hand riveter

DESCRIPTION

High quality carbon steel
3 jaw in hardened steel
With 4pcs nozzle for 2.4/3.2/4.0/4.8mm rivets
1.8mm thickness ,with mini wrench
Main body black finishing



Item No.	Length	Rivet size Φ(mm)
FHRG0010	10"	2.4, 3.2, 4, 4.8



QTY:40PCS
Carton size:47.5x35x29cm

Slim taper file

DESCRIPTION

Blade material : T12



Item No.	Length
FHSTF008	200mm/8"



QTY:200PCS
Carton size:29.5x28x16cm

Flat steel file

DESCRIPTION

Blade material : T12



Item No.	Length
FHFSF008	200mm/8"



QTY: 100PCS
Carton size:29.5x28x8cm

Staple gun

DESCRIPTION

All metal construction
Quick jam release button
Impact power adjustment
Surface:paint coating



Item No.	Size(mm)
FHHSG414	4-14



QTY:24PCS
Carton size:55x43.5x24cm

Triangle steel file

DESCRIPTION

Blade material : T12



Item No.	Length
FHTSF008	200mm/8"



QTY:100PCS
Carton size:29.5x28x8cm

Half round steel file

DESCRIPTION

Blade material : T12



Item No.	Length
FHHRSF08	200mm/8"



QTY:100PCS
Carton size:29.5x28x8cm

Round steel file

DESCRIPTION

Blade material : T12



Item No.	Length
FHRSF008	200mm/8"





QTY:200PCS
Carton size:29.5x28x14cm

5pcs steel file set

DESCRIPTION

Blade material:T12
Dual color plastic handle



Item No.	Spec
FHSFS005	Flat steel file x1 Triangle steel file x1
	Round steel file x1 Square steel file x1
	Half round steel file x1



QTY:20PCS
Carton size:44x40x24cm

Bench vice

DESCRIPTION

Iron,steel,non-ferrous
Sand,precision casting



Item No.	Size	W(kg)
FHBV04	4"	5
FHBV05	5"	7
FHBV06	6"	11.5
FHBV08	8"	18



4" QTY:2PCS
Carton size:32x29x18cm
5" QTY:1PCS
Carton size:32x29x18cm
6" QTY:1PCS
Carton size:35x18x19cm
8" QTY:1PCS
Carton size:45x21.5x25.5cm

6pcs file set

DESCRIPTION

Blade material:T12
TPR dual color handle



Item No.	Length	Φ
FHFSS006	160mm/6"	4mm



QTY:100SET
Carton size:38x35x22.5cm

G clamps

DESCRIPTION

Body is malleable cast iron
T-shaped thread,stronger and easily use



Item No.	Size
FHGC0004	4"
FHGC0005	5"
FHGC0006	6"



4" QTY:24PCS
Carton size:23x28x24.5cm
5" QTY:14PCS
Carton size:24x28x21.5cm
6" QTY:12PCS
Carton size:30.5x30x13.5cm

Folding saw

DESCRIPTION

ABS handle with rubber wrapped
65 manganese steel saw blade
1.2mm thick blade, 3.6mm teeth pitch
Ground teeth with three cutting edges



Item No.	Length
FHFS0180	180mm/7"



QTY:48PCS
Carton size:34x32x35cm

Pruning Saw

DESCRIPTION

Ideal for pruning, trimming leaves at forestry, lawn, garden and other place that needs to trim the branches and leaves.



Item No.	Length
FHPS4001	400mm/16"



QTY:20 PCS
Carton size:44x38x16.5cm

Square tube hacksaw

DESCRIPTION

TPR Handle
Blade material : high carbon steel
Length : 12"(300mm)
Weight: 510g
Harden teeth saw blade



Item No.	L(mm)
FHHF0300	300/12"



QTY:34PCS
Carton size:41x22x40.5cm

Bi-metal hacksaw blade



Item No.	Teeth	Size
FHBH01812	18TPI	300mm/12"
FHBH02412	24TPI	300mm/12"



QTY:800PCS
Carton size:34x30x12.5cm

Hand saw

DESCRIPTION

Ideal for:timber,pvc,plastic, plasterboard



Item No.	Length
FHHS0400	400mm/16"
FHHS0450	450mm/18"
FHHS0500	500mm/20"



QTY:34PCS
Carton size:51x29x31cm
QTY:34PCS
Carton size:56x29x31cm
QTY:34PCS
Carton size:61x29x31cm

Hacksaw frame

DESCRIPTION

Blade material : high carbon steel
Length : 12"(300mm)
Weight: 460g
Harden teeth saw blade



Item No.	L(mm)
FHHF1300	300/12"



QTY:34PCS
Carton size:47.5x24x29cm

Adjustable wrench

DESCRIPTION

Chrome Vanadium
Double color plastic handle



Item No.	L(mm)	Size(mm)
FHAW7006	160/6"	0-24
FHAW7008	210/8"	0-30
FHAW7010	260/10"	0-35
FHAW7012	310/12"	0-41




QTY:120PCS
Carton size:51x42.5x21.5cm
QTY:48PCS
Carton size:36x31x21cm
QTY:24PCS
Carton size:37x36x15cm
QTY:24PCS
Carton size:41.5x40x15cm

Adjustable wrench

DESCRIPTION

High quality carbon steel



Item No.	Length	Size(mm)
FHAW1006	150mm/6"	0-19
FHAW1008	200mm/8"	0-24
FHAW1010	250mm/10"	0-30
FHAW1012	300mm/12"	0-36



QTY:120PCS
Carton size:34x15.4x19cm
QTY:48PCS
Carton size:22x18x23.5cm
QTY:36PCS
Carton size:28.5x23x15.5cm
QTY:28PCS
Carton size:32x16.4x15.5cm


Hex key

DESCRIPTION

Chrome vanadium
Surface matte finish



Item No.	Size
FHHK0009	1.5/2/2.5/3/4 5/6/8/10mm



QTY:30SET
Carton size:32x31.5x27.5cm


Torx key

DESCRIPTION

Chrome vanadium
Surface matte finish



Item No.	Size
FHHK2009	T10/15/20/25/27 30/40/45/50



QTY:30SET
Carton size:32x31.5x27.5cm

Multipurpose self-locking spanner x 2 pcs

DESCRIPTION

Material:Carbon steel
Hardness: 42-47 HRC
Handle: Rubber handle
Technical: Heat treat hardened



Item No.	Specifications
FHUW0932	9-32(mm)



QTY:24set
Carton size:37x29x25cm

Ball point hex key

DESCRIPTION

Chrome vanadium
Surface matte finish



Item No.	Size
FHHK1009	1.5/2/2.5/3/4 5/6/8/10mm



QTY:30SET
Carton size:32x31.5x27.5cm

Hex key

DESCRIPTION

Chrome vanadium
Surface matte finish



Item No.	Size
FHHK0019	1.5/2/2.5/3/4 5/6/8/10mm



QTY:40SET
Carton size:44x29x27cm

Ball point hex key

DESCRIPTION
Chrome vanadium
Surface matte finish

Mid-length

Item No.	Size
FHHK1019	1.5/2/2.5/3/4 5/6/8/10mm


QTY:40SET
Carton size:44x29x27cm

Torx key

DESCRIPTION
Chrome vanadium
Surface matte finish

Mid-length

Item No.	Size
FHHK2019	T10/15/20/25/27 30/40/45/50

QTY:40SET
Carton size:44x29x27cm

Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV06	6
FHCPCRV07	7
FHCPCRV08	8
FHCPCRV09	9
FHCPCRV10	10
FHCPCRV11	11

6mm QTY:500PCS
Carton size:30x22x13.5cm
7mm QTY:500PCS
Carton size:30x24x13.5cm
8mm QTY:500PCS
Carton size:32.5x26x13.5cm
9mm QTY:500PCS
Carton size:35x28x13.5cm
10mm QTY:200PCS
Carton size:30x19x16cm
11mm QTY:200PCS
Carton size:32x19x16cm



Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV12	12
FHCPCRV13	13
FHCPCRV14	14
FHCPCRV15	15
FHCPCRV16	16
FHCPCRV17	17

12mm QTY:200PCS
Carton size:34x16x18cm
13mm QTY:200PCS
Carton size:34x17x19.5cm
14mm QTY:200PCS
Carton size:34x19.5x18.5cm
15mm QTY:100PCS
Carton size:21x19x21.5cm
16mm QTY:100PCS
Carton size:21.5x20x22.5cm
17mm QTY:200PCS
Carton size:23x20.5x23cm



Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV18	18
FHCPCRV19	19
FHCPCRV20	20
FHCPCRV21	21
FHCPCRV22	22
FHCPCRV23	23
FHCPCRV24	24

18mm QTY:100PCS
Carton size:23.5x21.5x22.5cm
19mm QTY:100PCS
Carton size:24.5x22.5x23.5cm
20mm QTY:50PCS
Carton size:35x25.5x10.4cm
21mm QTY:50PCS
Carton size:35x27x11cm
22mm QTY:50PCS
Carton size:36.5x28x11cm
23mm QTY:50PCS
Carton size:35x29x11.5cm
24mm QTY:50PCS
Carton size:37.5x30x12cm



Combination spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHCPCRV25	25
FHCPCRV26	26
FHCPCRV27	27
FHCPCRV28	28
FHCPCRV29	29
FHCPCRV30	30
FHCPCRV32	32

25mm QTY:40PCS
Carton size:30.5x29.5x11.5cm
26mm QTY:40PCS
Carton size:32x30x12cm
27mm QTY:40PCS
Carton size:33x31x12.5cm
28mm QTY:20PCS
Carton size:34x16.5x13.5cm
29mm QTY:20PCS
Carton size:35x16.5x14cm
30mm QTY:20PCS
Carton size:36x16.5x14cm
32mm QTY:20PCS
Carton size:38.5x17x15cm



Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV0607	6X7
FHDOCRV0809	8X9
FHDOCRV1011	10X11



6X7mm QTY:200PCS
Carton size:27x12x15cm
8X9mm QTY:200PCS
Carton size:31x13x16cm
10X11mm QTY:200PCS
Carton size:35x14x17cm

Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV1819	18X19
FHDOCRV2022	20X22
FHDOCRV2224	22X24



18X19mm QTY:50PCS
Carton size:26x23.5x9cm
20X22mm QTY:50PCS
Carton size:30x25x12cm
22X24mm QTY:50PCS
Carton size:30x26.5x12cm

Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV0607	6X7
FHORCRV0809	8X9
FHORCRV1011	10X11



6X7mm QTY:200PCS
Carton size:40x19.5x15cm
8X9mm QTY:200PCS
Carton size:40x21.5x15cm
10X11mm QTY:100PCS
Carton size:24x22.5x15cm

Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV1213	12X13
FHDOCRV1415	14X15
FHDOCRV1617	16X17



12X13mm QTY:100PCS
Carton size:18.5x17x19cm
14x15mm QTY:100PCS
Carton size:20x17x21.5cm
16X17mm QTY:100PCS
Carton size:23.5x22x17cm

Double open end spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHDOCRV2427	24X27
FHDOCRV2730	27X30
FHDOCRV3032	30X32



24X27mm QTY:40PCS
Carton size:29.5x26x13.5cm
27x30mm QTY:20PCS
Carton size:31.5x19x14.5cm
30X32mm QTY:20PCS
Carton size:34x19x15.5cm

Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV1213	12X13
FHORCRV1415	14X15
FHORCRV1617	16X17



12X13mm QTY:100PCS
Carton size:25x23.5x16cm
14x15mm QTY:100PCS
Carton size:27x26x17cm
16X17mm QTY:50PCS
Carton size:30x16x18cm

Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV1819	18X19
FHORCRV2022	20x22
FHORCRV2224	22X24

Cr-V



18X19mm QTY:50PCS
Carton size:31.5x19x19.5cm
20x22mm QTY:20PCS
Carton size:34x21x8.5cm
22X24mm QTY:20PCS
Carton size:37x23.5x9.5cm

Offset ring spanner

DESCRIPTION
Material:CrV
Matte surface



Item No.	Size(mm)
FHORCRV2427	24X27
FHORCRV2730	27x30
FHORCRV3032	30x32

Cr-V



24X27mm QTY:30PCS
Carton size:38.5x23.5x10cm
27x30mm QTY:20PCS
Carton size:39x24x11cm
30X32mm QTY:20PCS
Carton size:40.5x25x11.5cm

Double open end spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHDO0008	6-22mm

x8



QTY:20SET(20x8=160PCS)
Carton size:42x28x31cm

Combination spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHCS0008	6/8/10/12/13/ 14/17/19mm

x8



QTY:20SET(20x8=160PCS)
Carton size:48x42x17.5cm

5pcs fixed combination gear spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHCGS0005	8/10/13/ 17/19mm

Cr-V



QTY:18 PCS
Carton size:41x28x21.5cm

Offset ring spanner set

DESCRIPTION
High-quality carbon steel
Surface mirror finish



Item No.	Size
FHOR0008	6-22mm

x8



QTY:20SET(20x8=160PCS)
Carton size:44x41.5x17.5cm

Double open end spanner set

DESCRIPTION
High-quality carbon steel
Matte surface



Item No.	Size
FHCSS0008	6-22mm

x8



QTY:20SET(20x8=160PCS)
Carton size:31x30x17cm

Y-Type socket wrench

DESCRIPTION
Material:CrV
Matte finished



Item No.	Size(mm)
FHYSW080910	8X9X10
FHYSW081012	8X10X12
FHYSW101214	10X12X14
FHYSW121417	12X14X17

Cr-V



8X9X10mm QTY:50PCS
Carton size:53x27.5x27.5cm
8X10X12mm QTY:50PCS
Carton size:53x27.5x27.5cm
10X12X14mm QTY:50PCS
Carton size:53x27.5x27.5cm
12X14X17mm QTY:50PCS
Carton size:53x27.5x27.5cm

T-handle socket wrench

DESCRIPTION
Material:CrV
Matte finished



Item No.	Size(mm)
FHTSW013	13x200x300
FHTSW014	14x200x300
FHTSW017	17x200x300
FHTSW019	19x200x300

Cr-V



13x200x300mm QTY:50PCS
Carton size:34x24.5x22.5cm
14x200x300mm QTY:50PCS
Carton size:34x24.5x22.5cm
17x200x300mm QTY:50PCS
Carton size:34x24.5x22.5cm
19x200x300mm QTY:50PCS
Carton size:34x24.5x22.5cm

Cross rim wrench

DESCRIPTION
Material:carbon steel



Item No.	Size(mm)
FHCRW1350	17x19x21x23

14"



QTY:15PCS
Carton size:32x28x24cm

T-handle socket wrench

DESCRIPTION
Material:CrV
Matte finished



Item No.	Size(mm)
FHTSW008	8x200x300
FHTSW009	9x200x300
FHTSW010	10x200x300
FHTSW012	12x200x300

Cr-V



8x200x300mm QTY:50PCS
Carton size:34x34.5x22.5cm
9x200x300mm QTY:50PCS
Carton size:34x34.5x22.5cm
10x200x300mm QTY:50PCS
Carton size:34x34.5x22.5cm
12x200x300mm QTY:50PCS
Carton size:34x34.5x22.5cm

L-angled socket wrench

DESCRIPTION
Material:CrV
Matte finished



Item No.	Size(mm)
FHLSW008	8x120
FHLSW010	10x135
FHLSW012	12x150

Cr-V



8x120mm QTY:250PCS
Carton size:34x18x28cm
10x135mm QTY:200PCS
Carton size:34x18x28cm
12x150mm QTY:120PCS
Carton size:41x21x17cm

L-angled socket wrench

DESCRIPTION
Material: Crv
Matte finished



Item No.	Size(mm)
FHLSW013	13x160
FHLSW014	14x170
FHLSW017	17x190
FHLSW019	19x205

13x160mm	QTY:120PCS Carton size:41x21x17cm
14x170mm	QTY: 90PCS Carton size:41x21x17cm
17x190mm	QTY:40PCS Carton size: 41x20x20cm
19x205mm	QTY:40PCS Carton size:27x23x20cm

Cr-V



Ratchet wrench



Item No.	Teeth	Size
FHRW1012	72	1/2"
FHRW1038	72	3/8"
FHRW1014	72	1/4"

1/2"	QTY:30 PCS Carton size:28.5x28x22cm
3/8"	QTY:40 PCS Carton size:28.5x28x22cm
1/4"	QTY:90 PCS Carton size:28.5x28x22cm

Cr-V



GEAR PULLER

[BUILT TO LAST]: Constructed of forged and hardened steel for strength and longevity, steel drive screw is cold-rolled and acme-threaded to give you smooth performance even under high stress.
[ADJUSTABLE PERFORMANCE]: Whether you are looking to remove parts from your engine base or your wheels, jaw puller too features universal and reversible jaws offer versatile inside or outside grip along with short or long reach.

2 JAW	3 JAW	Cr-V	3" 75mm	4" 100mm	6" 150mm
-------	-------	------	---------	----------	----------



MODEL NO.	SIZE	EXTENSION RANGE	JAW LENGTH	LEAD SCREW LENGTH	SCREW THREAD	WORK STROKE	TOP DIAMETER	MAX. PULLING FORCE
FHJGP23	3"/75 mm	35-75 mm	102 mm	120 mm	14 mm	72 mm	/	1000 kgs
FHJGP24	4"/100 mm	45-100 mm	137 mm	150 mm	17 mm	100 mm	7 mm	1300 kgs
FHJGP26	6"/150 mm	60-150 mm	218 mm	225 mm	19 mm	160 mm	10 mm	2300 kgs
FHJGP33	3"/75 mm	35-75 mm	102 mm	120 mm	14 mm	72 mm	/	1500 kgs
FHJGP34	4"/100 mm	45-100 mm	137 mm	150 mm	17 mm	100 mm	7 mm	2000 kgs
FHJGP36	6"/150 mm	60-150 mm	218 mm	225 mm	19 mm	160 mm	10 mm	3500 kgs

Ratchet wrench socket set

CONTENTS
+10PCS-1/4" DR. SOCKETS:
4.5.6.7.8.9.10.11.12.13mm
+1PC-1/4" DR. QUICK RATCHET HANDLE
+1PC-1/4" DR. EXTENSION BAR:4"

Item No.	N(pcs)
FHST0612	12

1/4" Cr-V



Ratchet wrench socket set

CONTENTS
+10PCS-3/8" DR. SOCKETS:
10.11.12.13.14.15.17.19.22.24mm
+1PC-3/8" DR. QUICK REVERSIBLE RATCHET HANDLE
+1PC-3/8" DR. EXTENSION BAR:3"

Item No.	N(pcs)
FHST1012	12

3/8" Cr-V

QTY:20PCS
Carton size:39x32x21cm

Ratchet wrench socket set

CONTENTS
+10PCS-1/2" DR. SOCKETS:
10.11.12.13.14.15.17.19.22.24mm
+1PC-1/2" DR. QUICK REVERSIBLE RATCHET HANDLE
+1PC-1/2" DR. EXTENSION BAR:5"

Item No.	N(pcs)
FHST1312	12

1/2" Cr-V

QTY:20PCS
Carton size:34x23x23cm

77pcs socket set(1/4")

Cr-V 1/4"
Cr-V 1/2"
DIN 3122 6PT
DIN 3123 72T
DIN 3124 12PT




Item No.: FHST2077

Deep hexagonal socket

Item No.	Length (mm)	Item No.	Length (mm)	Item No.	Length (mm)
FHHS1208	8	FHHS1216	16	FHHS1224	24
FHHS1209	9	FHHS1217	17	FHHS1225	25
FHHS1210	10	FHHS1218	18	FHHS1226	26
FHHS1211	11	FHHS1219	19	FHHS1227	27
FHHS1212	12	FHHS1220	20	FHHS1228	28
FHHS1213	13	FHHS1221	21	FHHS1229	29
FHHS1214	14	FHHS1222	22	FHHS1230	30
FHHS1215	15	FHHS1223	23	FHHS1232	32

Cr-V



46pcs socket set(1/4")

Cr-V 1/4"
Cr-V 1/2"
DIN 3122 6PT
DIN 3123 72T
DIN 3124 12PT




Item No.: FHST2046

QTY:4 BOXES
Carton size:34x27.5x35.5cm

Deep hexagonal socket

Item No.	Length (mm)	Item No.	Length (mm)	Item No.	Length (mm)
FHHS1208L	8	FHHS1216L	16	FHHS1224L	24
FHHS1209L	9	FHHS1217L	17	FHHS1225L	25
FHHS1210L	10	FHHS1218L	18	FHHS1226L	26
FHHS1211L	11	FHHS1219L	19	FHHS1227L	27
FHHS1212L	12	FHHS1220L	20	FHHS1228L	28
FHHS1213L	13	FHHS1221L	21	FHHS1229L	29
FHHS1214L	14	FHHS1222L	22	FHHS1230L	30
FHHS1215L	15	FHHS1223L	23	FHHS1232L	32

Cr-V



Hydraulic Trolley Jack



DESCRIPTION

Item No.	Capacity	Min. height (mm)	Max. height (mm)
FJTJ202	2T	135	340
FJTJ203	3T	135	400

QTY:1 PCS
Carton size:44x21.5x14.5cm
QTY:1PCS
Carton size:63x28x14.5cm

Bottle Jack



FJB102	2 TON	168mm	316mm	68mm
FJB104	4 TON	188mm	363mm	60mm
FJB106	6 TON	207mm	402mm	70mm
FJB110	10 TON	222mm	441mm	80mm
FJB120	20 TON	235mm	485mm	90mm

QTY: 4 PCS
Carton size: 34x23.5x0.5cm

QTY: 4 PCS
Carton size: 37.5x24.5x22.5cm

QTY: 4 PCS
Carton size: 28x24.5x24.5cm

QTY: 4 PCS
Carton size: 29.5x27.5x26cm

QTY: 2 PCS
Carton size: 31.5x18.5x27.5cm

Jack stands



DESCRIPTION

Item No.	Capacity	Min. height (mm)	Max. height (mm)
FJJS302	2T	268	418
FJJS303	3T	276	420



QTY: 1 PCS
Carton size: 21x19.5x35.5cm

QTY: 1 PCS
Carton size: 22.5x20.5x34cm

Steel measuring tape

DESCRIPTION

ABS shell with Rubber-coated
Humanized design for non-slip
High accuracy, class II



Item No.	Length	Width
FHSMT103	3m	16mm
FHSMT105	5m	19mm
FHSMT175	7.5m	25mm

Metric and Inch

3m QTY: 120PCS
Carton size: 37x20x28cm

5m QTY: 96PCS
Carton size: 39x23x30cm

7.5m QTY: 48PCS
Carton size: 36x19x29cm

www.fixtectools.com

Grease gun

DESCRIPTION

10000 PSI working pressure
Compact size, easy to carry
Three ways filling grease gun applicator
suitable for suction and bulk.



Item No.	SIZE
FHGG1401	14

QTY: 10PCS
Carton size: 39x34x29cm

Steel measuring tape

DESCRIPTION

ABS shell with Rubber-coated
Auto lock for convenient use
Humanized design for non-slip
High accuracy, class II



Item No.	Length	Width
FHSMT203	3m	16mm
FHSMT205	5m	19mm
FHSMT275	7.5m	25mm

Metric and Inch

3m QTY: 96PCS
Carton size: 38x31x32cm

5m QTY: 48PCS
Carton size: 49x17x32cm

7.5m QTY: 48PCS
Carton size: 38x20x37cm

Steel measuring tape

DESCRIPTION

Case material: New ABS
Blade thickness: 0.10mm
Blade color: yellow



Item No.	Length
FHSMT303	3mx16m
FHSMT305	5mx19m
FHSMT305	8mx25m

Metric and Inch

3m QTY: 96 PCS
Carton size: 32x29x29cm

5m QTY: 72 PCS
Carton size: 33x30x28cm

8m QTY: 60 PCS
Carton size: 38x31x29cm

Vernier Caliper

DESCRIPTION

Stainless Steel
0-150mm Range
0.02mm Resolution
Metric Marking



Item No.	Range	Reading
FHVC0150	0-150mm	0.02mm



QTY: 50PCS
Carton size: 47x24x23cm

Aluminum handle square

DESCRIPTION

Material: stainless steel
and aluminum
Specification: 12"



Item No.	Size	W(mm)	T(mm)
FHAHS012	300mm/12"	41	1



QTY: 60PCS
Carton size: 40x32.5x25cm

Fiberglass measuring Tape

DESCRIPTION

First-grade new ABS Plastics
British-metric, metric
Fiberglass blade
The steel hook
0.5mm thickness blade



Item No.	Length	Width
FHFM4020	20m	12.5mm
FHFM4030	30m	12.5mm
FHFM4050	50m	12.5mm



20m QTY: 50PCS
Carton size: 51x29x29cm

30m QTY: 50PCS
Carton size: 51x34x34cm

50m QTY: 20PCS
Carton size: 40x22x42cm

Plastic Digital Calier

DESCRIPTION

Material: Plastic
Ranger: 0-150mm/0-6"
Reading: 0.1mm/0.01"
Battery: 1.5v
Metric/inch system



Item No.	Range	Reading
FHVC0151	0-150mm	0.1mm

QTY: 100 PCS
Carton size: 44x37x33cm

Spirit level

DESCRIPTION

High transparent super clear bubbles
First class accuracy: 0.5mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL03023	23cm/9"	0.5mm



QTY: 20PCS
Carton size: 103.5x28x14cm

www.fixtectools.com

Spirit level

DESCRIPTION

High transparent super clear bubbles
First class accuracy: 0.5mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL06040	40cm/16"	0.5mm
FHSL06060	60cm/24"	0.5mm
FHSL06080	80cm/32"	0.5mm
FHSL06100	100cm/40"	0.5mm

QTY:20PCS
Carton size:103.5x28x14cm

QTY:20PCS
Carton size:103.5x28x14cm

QTY:20PCS
Carton size:103.5x28x14cm

QTY:20PCS
Carton size:103.5x28x14cm



Cast aluminium level

DESCRIPTION

Aluminum, Milled bottom



Item No.	Length	T[AI]
FHSL07040B	40cm/16"	1mm
FHSL07060B	60cm/24"	1mm

QTY:40PCS
Carton size:41x23x23cm

QTY:40PCS
Carton size:41x23x23cm



Laser level

DESCRIPTION

5 lines 8 points
360° rotary base
1.5s rapid alignment
0 °c ~+40 °c working
temperature Precise leveling



Item No.	Feature
FHLL03	Green line
FHLL04	Red line

Green Line

Red Line

QTY:8PCS
Carton size:64x45x27.5cm

QTY:8PCS
Carton size:64x45x27.5cm



Spirit level

DESCRIPTION

High transparent super clear bubbles
First class accuracy: 1mm/m
Comfortable handle



Item No.	Length	T[AI]
FHSL05040	40cm/16"	1mm
FHSL05060	60cm/24"	1mm
FHSL05080	80cm/32"	1mm
FHSL05100	100cm/40"	1mm

QTY:40PCS
Carton size:42x25.5x24.5cm

QTY:40PCS
Carton size:42x25.5x24.5cm

QTY:30PCS
Carton size:82x21.5x17cm

QTY:20PCS
Carton size:102x31x15cm



Laser distance meter

DESCRIPTION

Measuring Accuracy: ±1.5mm
Measuring Unit: m,ft,in
Laser type: 620~690nm, class2, <1mW
Operating Temperature: 0~+40 °C
Storage Temperature: -20~+65 °C
Batteries AAA(Alkaline): 2x1.5V
Measurements Per Battery Set: >8000



Item No.	Measuring range
FHLMT40	0.05m~40m
FHLMT60	0.05m~60m
FHLMT80	0.05m~80m
FHLMT100	0.05m~100m

QTY:50 PCS
Carton size:44x37x24cm



Laser level

DESCRIPTION

5 lines 8 points
Laser wavelength:630~670nm
Leveling accuracy:±3mm/10mm
Leveling range:4±1°
Working temperature:-10°c ~+50 °c



Item No.	Feature
FHLL05	Red line

QTY:20PCS
Carton size:24x36x44cm



Laser level

DESCRIPTION

12 lines
Laser line width: 100LUX, 3mm/5m
Laser diode: 510-520nm, 10mw
working range: 20m



Item No.	Feature
FHLL3601	Green line



QTY:20PCS
Carton size:24x36x44cm



Adjustable laser level tripod

DESCRIPTION

Lightweight tripod with adjustable
-height legs and rubber feet
Compatible with most video cameras,
digital cameras, still cameras, GoPro
devices, smartphone adapters,
and scopes.



Item No.	Size
FHLLS15	1.5m

QTY:10PCS
Carton size:59x55x23cm



Plastering trowel

DESCRIPTION

Carbon steel blade
0.7mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished



Item No.	Size	T
FHPT2115	280x115mm	0.7mm

QTY:40PCS
Carton size:52x30x52cm



Laser level

DESCRIPTION

12 lines
Wave length : 520 nm
Accuracy: ±1mm/5m
Leveling Range: ±3°



Item No.	Feature
FHLL3602	Green line



QTY:20PCS
Carton size:24x36x44cm



Putty Knife

DESCRIPTION

Stainless steel blade
1.0mm Blade thickness
Dual-color soft grip plastic handle
Finishes mirror polishing



Item No.	Size	T
FHPK1002	50mm/2"	1.0mm
FHPK1003	76mm/3"	1.0mm
FHPK1004	100mm/4"	1.0mm
FHPK1005	125mm/5"	1.0mm
FHPK1006	150mm/6"	1.0mm

2" QTY:120PCS
Carton size:32x29x34.5cm

3" QTY:120PCS
Carton size:32x29x34.5cm

4" QTY:120PCS
Carton size:32x29x34.5cm

5" QTY:120PCS
Carton size:32x29x34.5cm

6" QTY:120PCS
Carton size:32x29x34.5cm



Plastering trowel

DESCRIPTION

Carbon steel blade
0.7mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished



Item No.	Size	T
FHPT2130	280x130mm	0.7mm

QTY:40PCS
Carton size:54x30x52cm



Foam rubber trowel

DESCRIPTION
Size: 240x100x19mm
Material: rubber
Handle: plastic



Item No.	Size(mm)
FHFRT2419	240x100x19



QTY: 40PCS
Carton size: 45x26x44cm

EVA foam trowel

DESCRIPTION
Size: 240x100x12mm
Material: EVA foam
Handle: plastic



Item No.	Size(mm)
FHEVA2412	240x100x12



QTY: 40PCS
Carton size: 44.5x26x57cm

Bricklaying trowel

DESCRIPTION
Carbon steel blade
1.0mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished



Item No.	Size
FHBT0006	150mm/6"
FHBT0008	200mm/8"
FHBT0010	250mm/8"



6"
QTY: 72PCS
Carton size: 48x30x34cm
8"
QTY: 72PCS
Carton size: 50x34x37cm
10"
QTY: 72PCS
Carton size: 52x42x38cm

Bricklaying trowel

DESCRIPTION
Carbon steel blade
1.0mm Blade thickness
Dual-color soft grip plastic handle
Finishes Common polished




Item No.	Length
FHBT1010	250mm/10"



QTY: 40PCS
Carton size: 54x38x27cm

Caulking gun

DESCRIPTION
Material of gun body : steel
Material of handle : steel
Surface treatment : powder coating
Gun weight : 340g
Rod diameter : 6.5mm



Item No.	Thickness	Length	Size	Diameter
FHCG0009	1.0mm	235mm	9"	51mm



QTY: 36PCS
Carton size: 42x34x54cm

Caulking gun

DESCRIPTION
Material of handle : aluminum alloy
Surface treatment : powder coating
Gun weight : 280g
Hex rod



Item No.	Thickness	Length	Size	Diameter
FHCG0109	1.6mm	235mm	9"	51mm



QTY: 36PCS
Carton size: 34.5x25x34cm

Aluminium caulking gun

DESCRIPTION
Pre-Configured for sausage application
Drawn aluminum barrel
Aluminium handle with metal trigger
Quick release end cap
Sprung trigger



Item No.	Length	Size	Diameter
FHCG0209	235mm	9"	51mm
FHCG0215	375mm	15"	55mm



9"
QTY: 24PCS
Carton size: 48x29x47cm
15"
QTY: 24PCS
Carton size: 68x29x47cm

Tile cutter

DESCRIPTION
For parallel & angled cuts
Die casting cutting assembly
with ball bearing




Item No.	Cutting length
FHTC0400	400mm/16"



QTY: 10PCS
Carton size: 56x30x48.5cm

Tile cutter

DESCRIPTION
For parallel & angled cuts
Die casting cutting assembly
with ball bearing



Item No.	Cutting length
FHTC0800	800mm/32"



QTY: 2PCS
Carton size: 106x23x38cm

Silicone trowel&scraper

DESCRIPTION
Scraper push forward
Scraper pull backward
Surface cleaning blade
Exchange different pad



Item No.	Size(mm)
FHMT190	27x204x45.5



QTY: 40PCS
Carton size: 44.5x26x57cm

Tile cutter

DESCRIPTION
For parallel & angled cuts
Die casting cutting assembly
with ball bearing



Item No.	Cutting length
FHTC0600	600mm/24"



QTY: 2PCS
Carton size: 85x22.5x30cm

8pcs Handtools set

Contents
1pc Knife
1pc Test screwdriver
1pc 3M-16mm steel measuring type
2pcs 5x100mm screwdriver
6" Long nose pliers
7" Combination pliers
8" Adjustable wrench



Item No.	N(PCS)
FHHSB008	8



QTY: 12PCS
Carton size: 35x28x30cm

Tool box

DESCRIPTION
Material:PP



Item No.	Size
FHTB0014	35(L)X18(W)X16(H)CM



QTY:14PCS
Carton size:69x37x64cm

26pcs Hand tools set



Item No.	Size
FHTS026	42(L)X22(W)X19.5(H)CM



QTY:14PCS
Carton size:69x37x64cm

Paint brush



Item No.	size
FHWB0101	1"x44mm



QTY:400 PCS
Carton size:45x42x28cm

Paint brush



Item No.	size
FHWB0115	1.5"x44mm



QTY:480 PCS
Carton size:49x42x35cm

Paint brush



Item No.	size
FHWB0102	2"x51mm



QTY:360PCS
Carton size:45x43x38cm

Paint brush



Item No.	size
FHWB0125	2.5"x51mm



QTY:240 PCS
Carton size:46x34x37.5cm

Paint brush



Item No.	size
FHWB0103	3"x51mm
FHWB0104	4"x57mm



QTY:120PCS
Carton size:48x26x45cm

Paint brush



Item No.	size
FHPB0301	1"x44mm



QTY:400PCS
Carton size:43.5x41.5x31cm



Paint brush



Item No.	size
FHPB0315	1.5"x44mm



QTY:480PCS
Carton size:44x44x34cm

Paint brush



Item No.	size
FHPB0325	2.5"x51mm



QTY:360PCS
Carton size:51x47x39cm

Paint brush



Item No.	size
FHPB0304	4"x57mm



QTY:120PCS
Carton size:48x26x47cm

Paint brush



Item No.	size
FHPB0302	2"x51mm



QTY:360PCS
Carton size:46x42x35cm

Paint brush




Item No.	size
FHPB0303	3"x51mm



QTY:240PCS
Carton size:47x38x40cm

Mini roller




Item No.	size
FHPR0504	4"x11mm



QTY:100 PCS
Carton size:44x38x32cm

Mini Roller



Item No.	size
FHPR0604	4"x4mm



QTY:100 PCS
Carton size:44x38x32cm

Roller Cover



Item No.	size
FHRC0604-1	4"x4mm



QTY:500 PCS
Carton size:52x32x31cm

Paint roller



Item No.	size
FHPR0709	9"x8mm



QTY:50PCS
Carton size:40x42x34cm

Roller Cover



Item No.	size
FHRC0504-1	4"x11mm



QTY:500 PCS
Carton size:52x32x31cm

Paint roller



Item No.	size
FHPR0609	9"x11mm



QTY:50PCS
Carton size:55x42x28cm

Roller Cover



Item No.	size
FHRC0609-1	9"x11mm




QTY:100 PCS
Carton size:54x28x47cm

Roller Cover



Item No.	size
FHRC0709-1	9"x8mm



QTY: 100 PCS
Carton size: 56x28x47cm

Paint roller



Item No.	size
FHPR0910	10"x8mm




QTY: 50PCS
Carton size: 40x42x34cm

Roller Cover



Item No.	size
FHRC0910-1	10"x 8mm



QTY: 50PCS
Carton size: 31x31x51cm

Paint roller



Item No.	size
FHPR0810	10"x11mm




QTY: 50PCS
Carton size: 40x42x34cm

Roller Cover



Item No.	size
FHRC0810-1	10"x11mm



QTY: 50PCS
Carton size: 31x31x51cm

Paint tray



Item No.	size
FHPT0009	9"



QTY: 50 PCS
Carton size: 57x31x38cm

Reflection vest



Item No.	Size
FPRV011	M
FPRV012	L
FPRV013	XL
FPRV014	XXL
FPRV015	XXXL



QTY: 50PCS
Carton size: 36x25x26cm

Safety goggles



Item No.	FPSG02
----------	--------



QTY: 100PCS
Carton size: 44x34x38cm

Safety goggles



Item No.	FPSG01
----------	--------



QTY: 100PCS
Carton size: 41x28.5x40cm

Safety goggles



Item No.	FPSG04
----------	--------



QTY: 100PCS
Carton size: 44x34x38cm

Safety goggles



Item No.	FPSG03
----------	--------



QTY: 100PCS
Carton size: 50x34x34cm

Safety helmet



Item No.	FPSH01
----------	--------



QTY: 30PCS
Carton size: 45x30x55cm

Working gloves



Item No.	size
FPCG0620	10"

XL



QTY: 240PCS
Carton size: 52x25x48cm

Latex coated gloves



Item No.	size
FPLCG01	10"

XL



QTY: 120PCS
Carton size: 70x28x35cm

Cow split leather gloves



Item No.	size
FPLG010	10.5"

FULL PALM



QTY: 120PCS
Carton size: 52x28x45cm

Knitted & PVC dots gloves



Item No.	size
FPCG0750	10"

XL



QTY: 240PCS
Carton size: 52x25x50cm

Nitrile gloves



Item No.	size
FPNG01	10"

XL



QTY: 120PCS
Carton size: 46x24x26cm

Welding leather gloves



Item No.	size
FPWG014	14"

QTY: 60PCS



Carton size: 36x24x70cm

Mechanic gloves

DESCRIPTION

- ★ Aramid & HPPE palm with PVC reinforced palm patch & finger tips ;
- ★ Touch screen fingertips ;
- ★ Spandex & mesh back ;
- ★ Uwrist design with Hook & loop closure cuff .



3D-STRUCTURED

Item No.	SIZE
FPMG101	10" (XL)



QTY: 50 Pairs
Carton size: 54x29x20cm

Mechanic gloves

DESCRIPTION

- ★ Synthetic palm with PVC reinforced palm patch ;
- ★ Touch screen fingertips ;
- ★ Spandex & mesh back with TPR protector on back ;
- ★ Uwrist design with Hook & loop closure cuff .



3D-STRUCTURED

Item No.	SIZE
FPMG102	10" (XL)



QTY: 50 Pairs
Carton size: 54x29x25cm

Earplug



Item No.	FPEP01
----------	--------



QTY: 20 SETS
Carton size: 40x35x58cm

Cut Resistance Gloves

DESCRIPTION

- ★ HPPE Liner For Cut Resistance Reaching EN388 Level 4X42C.
- ★ HPPE Liner with PU coating for abrasion resistance .
- ★ Elastic knitted cuff For Snug Fit at the wrist.



Item No.	SIZE
FPCRG010	10" (XL)



QTY: 120 Pairs
Carton size: 52x27x34cm

Industrial Latex Gloves

DESCRIPTION

- ★ High-grade natural latex possess a excellent chemical resistance and tear resistance.
- ★ Reinforced durability, ideal thickness and soft latex give a fantastic secure protection yet still tactile sensitive.



Item No.	Length
FPLG012	32cm



QTY: 120 Pairs
Carton size: 37x31x27 cm

Ear mask



Item No.	FPEM01
----------	--------



QTY: 50PCS
Carton size: 40x44x40cm

Safety boots



Item No.	Size
FPSB1140	40
FPSB1141	41
FPSB1142	42
FPSB1143	43
FPSB1144	44
FPSB1145	45

PVC

QTY: 10PCS
Carton size: 50x32x52cm

Safety boots



Item No.	Size
FPSB0140	40
FPSB0141	41
FPSB0142	42
FPSB0143	43
FPSB0144	44
FPSB0145	45

QTY: 10PCS
Carton size: 42x44x34cm

Face shield



Item No.	FSSGA1
----------	--------

PC

QTY: 40PCS
Carton size: 48x43.5x49.5cm



USB Flash Drive



Item No.	A011
----------	------

QTY: 40PCS
Carton size: 48x43.5x49.5cm

Display rack

QTY: 1PCS
Carton size: 120x45x14cm

Feather Banner



Item No.	A010A A010B
----------	-------------

QTY: 2PCS
Carton size: 34.5x34.5x27cm

Hand Pallet Truck

**MAXIMUM LOAD
3000 KGS**


FHHPT3000 / FHHPT3000G

Load Capacity	3000 kgs (3T)
Fork Length	1200 mm
Fork Width	680 mm
Max. Lifting Height	200 mm
Min. Lifting Height	85 mm
Weight	70 KGS

T-shirt



A003

Cap



A005

Key chain



A010

Ball pen



A004

Notebook



A006

A001

www.fixtectools.com

www.fixtectools.com